

NEW PRODUCTS FOR 2022



SARMENT

This product is specially designed for orchard and vineyard pruning and has an ergonomic reinforcement to withstand wood backlash. The glove was developed through collaboration with 3 different vineyards.



RESCUEPRO

Bolstered by its recognised search and rescue road-vehicle extrication market, these are the gloves with the highest mechanical and impact strengths for the Construction sector!



STRONGER

A model created using user tests in the timber sector which is ideally suited to all outdoor abrasive and cutting works.



LISON

The latest in the ZAMIS range: Lison is the butterfly that provides a version that shines and flaps its wings to light up children's eyes.



COCOON

A recycled polyester leisure glove that can be used as a work under-glove. Cold is one of the main reasons for wearing gloves, even more so when it is soft!



JEAN

The 1st 100% over recycled gloves (materials, finishes and packaging) manufactured in our Villieu workshops in France. Its name? Jean, as a reminder of the material that resulted in our working with 1083, but also a nod to the "Rostaing" founder, M. Jean Rostaing!".



WORK

For leather lovers, gloves with 4 uses for your gardening work.



GRIFSTOP

The latest in our scrub clearance product range. Added to the glove and the apron, these cuffs will complete user protection from scratches.



PLANT

Gloves that combine comfort, dexterity and repel water for your everyday maintenance work, that are also touch compatible!



GREENTACTILTOUCH

A new green, and touch screen compatible version of our BLACKTACTIL best seller.

PEOPLE AND THEIR HANDS



CONTENIS

THE STANDARDS

YOUR COLD

PRODUCT RANGE

OUR SERVICES

08

YOUR PROFESSIONAL UNIVERSES

YOUR HOT PRODUCT RANGE

YOUR ON STAPLE RANGES

YOUR BARCODES AND INDEX

124

YOUR HOME UNIVERSES

 $\left[\begin{array}{c} \sqrt{2} \begin{pmatrix} 0 \\ 0 \end{pmatrix} \begin{pmatrix} 0 \\ 0 \end{pmatrix} \right]$

YOUR ADDED PRODUCTS

YOUR STORE SOLUTIONS

YOUR CONTACTS

OUR VALUES

All our references featuring a B are gloves that are available in a pinned version



STANDARDS COVERING PROTECTIVE GLOVES





EN ISO 21420

General requirements for protective gloves.

Published in April 2020

This is the reference standard that defines the general requirements and test methods covering the design and construction of the glove, its harmlessness and the markings and information provided by the manufacturer which are applicable to all protective gloves.



EN 388:

Protective gloves for mechanical risks.

Published in 2016 with an A1 amendment in 2018

The standard defines the requirements, test methods, markings and information to provide concerning gloves for mechanical abrasion, cutting, perforation and eventually shock risk protection.

- A: Abrasion resistance (4 levels: 1 to 4).
- **B:** Cutting resistance (5 levels: 1 to 5).
- C: Tear resistance (4 levels: 1 to 4).
- D: Perforation resistance (4 levels: 1 to 4).
- E: Cutting resistance as per ISO 13997 (6 levels: A to F).
- F: Shock protection (optional test for 1 level identified by the letter P if the < 7 kN requirement is met).



EN 407:

Protective gloves and other hand equipment for heat risks (heat and/or fire).

ABCDEF Published in April 2020

- A: Limited flame propagation (on 4 levels: 1 to 4).
- B: Contact heat resistance (4 levels: 1 to 4).
- C: Convective heat resistance (4 levels: 1 to 4).
- **D:** Radiant heat resistance (4 levels: 1 to 4).
- E: Resistance to minor molten metal spray (4 levels: 1 to 4).
- F: Resistance to major molten metal spray (4: 1 to 4).



EN 12477:

Protective gloves for welders.

This standard specifies the requirements and test methods applicable to protective gloves used for welding and manual metal cutting as well as associated techniques. The gloves protect the hands and wrists during welding and associated tasks. They protect from minor molten metal spray, short exposure to a limited flame, convective heat, contact heat and UV radiation emitted by arc welding. They also protect from mechanical aggressions. The gloves are split into 2 categories:

Type A: low dexterity with higher performances for strong

Type B: higher dexterity with lower performances for detailed welding.



EN 511:

Protective gloves against cold

This standard defines the requirements and test methods for gloves that protect from convective or conducted cold up to -50°C. This cold can be due to climatic conditions or an industrial activity.

- A: Convective cold: (Level 0 to 4).
- B: Contact cold (Level 0 to 4).
- C: Watertightness (Level 0 = non-watertight glove or 1 = watertight glove).



EN 16350:

Electrostatic properties.

This standard provides the additional requirements for protective gloves that are worn in an environment which includes, or is likely to include, flammable or explosive zones. It therefore indicates the test methods and requirements applicable to electrostatic dissipation gloves to reduce explosion risks to a minimum. Besides the vertical resistance which must be lower than $1.0 \times 10^8 \Omega$, the standard also defines design requirements. Electrostatic dissipation gloves are only effective if the wearer is connected to the earth by a resistance of less than $10^8\,\Omega$.

o40

EN13594 EN 13594:

Protective gloves for bikers.

The standard applies to protective gloves used when riding motorcycles on roads. It indicates requirements in terms of size, ergonomics, harmlessness, mechanical properties, shock protection, marking and user information. As the wearing of certified gloves has been mandatory in France since 2016, this standard is used to assess motorcycling glove protection levels.

- Level 1: Protection of the hands from abrasion for 4s.
- Level 1 KP: Protection of the hands from abrasion for 4s and protection of the joints (Shock resistance).
- Level 2 KP: The highest level. Protection of the hands from abrasion for 8s and protection of the joints (Shock resistance).



EN 659: Protective gloves for fire-fighters.

The standard indicates the minimum performance requirements and the test methods required for fire-fighter protective gloves. Specific fire-fighter gloves can allow them to work for extended periods in hazardous conditions.

The standard defines:

- Size and dexterity requirements
- Minimum mechanical and thermal resistance
- Seam strengths
- Requirements on the difficulty in removing the gloves
- Heat shrinking requirements
- Solidity requirements
- Requirements on resistance to the penetration of liquid chemicals

The standard also optionally defines levels of resistance to water penetration of materials.



Protective gloves for fire-fighters.

This standard defines 3 types of glove with different performance requirements.

- Gloves of **type 1** correspond to the lowest performance level: the criteria considered suitable for fires in natural spaces.
- Gloves of type 2 correspond to the intermediate level, the requirements are partly based on EN 659.
- Gloves of type 3 correspondent to the highest level, the requirements are partly based on the NFPA 1971 standard



+ information on the standards on rostaing.com/normes



Every PPE supplier is bound to make the glove's **Declaration of conformity** available to you. To get it, download it from our website

AN ECONOMIC GESTURE FOR THE PLANET






GLOVE CARE:

Our gloves are designed **to last**. To achieve that, they are all washable in warm water and soap and dry away from any heat source. Leather gloves can always be nourished with a little moisturising cream or clear polish.

ONLY REPLACE 1 OUT OF 2 GLOVES!



Gloves that feature this symbol are gloves for which it is possible to buy only one of the gloves, left or right, instead of the pair. Indeed, sometimes wear is only on one hand. Result: **less waste and more savings!**





PROTECTING FAUNA AND FLORA

PLANTING

- 10. SEQUOIA
- **10.** EV013
- **10.** BASIC

PRUNING

- 12. ROSERAIE
- **12.** EM25A
- 12. SARMENT

BRUSH CLEARANCE

- 13. RONCIER
- **13.** OPTIPRO
- 13. GRIFSTOP
- **13.** T.70X135

WORK

- 14. DURANIT-ONE
- 14. MIDSEASON
- 14. MACPRO
- 14. WINTERPRO
- **15.** STRONGER
- 15. CLOTURE
- **15.** SOLIDO

SORTING & RECYCLING

- 16. RIPEUR/CO
- **16.** BLACKNIT
- 16. WETCUTO3 EVOLUTION
- **16.** MASTERTOP

DRAINAGE

- 18. LIQUIDO
- 18. STOP-OILCUT
- **18.** WETPRO

CARING

- 19. ANIMALYS1
- 19. RONCIER

PLANTING



SEQUOIA: Planting, digging and weeding

- VALIDATED BY LANDSCAPERS
- WATER REPELLENT AND BREATHABLE BACK
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY

LEAK TIGHTNESS COMFORT DURABILITY DURABILITY

SIZES: 7 TO 12

COMPOSITION:

Grain leather, polyester Ripstop



EV013: Planting, digging, weeding

- SCOTCHGUARD TREATED WATER REPELLENT LEATHER
- FREEDOM OF MOVEMENT
- GRIP IN WET ENVIRONMENTS



SIZES: 6 TO 11 COMPOSITION:

Goat leather, Skinsoft



BASIC: Planting, digging, weeding

- GOOD GRIP
- PALM AND FINGER PROTECTION





COMPOSITION: Latex, polycotton

PLANTING



PRUNING



ROSERAIE: Thorny plant maintenance

- VALIDATED BY ROSE-GROWERS
- FOREARM PROTECTION FROM THORNS
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY

EM25A: Garden maintenance

- FULL SUPPLE LEATHER PROTECTION
- GOOD HAND BREATHABILITY
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



SARMENT: Intensive pruning, root removal, bundling

- 3 X MORE DURABLE: ERGONOMIC REINFORCEMENTS ON WEAR AREAS
- GOOD SHEAR HANDLING

Acrylic, nitrile, polyamide, para-aramid

• IDEAL FOR COLD AND WET ENVIRONMENTS (UP TO 0°C)





CLEAR BRUSH



RONCIER: Brush clearance, pruning of large thorny plants (Pyracantha)

- THE THICK LEATHER PROTECTS FROM LARGE THORNS
- BARRIER TO OILS AND KEEPS A GOOD GRIP
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY

3 OPTIPRO: Garden maintenance and brush clearance

- SUITABLE FOR LOW VIBRATION TOOLS
- NON-SLIP FINGERTIPS
- CLOSURE ADJUSTABLE AT THE WRIST





SIZES: 7 TO 11

COMPOSITION:

Cow split leather, polyester Ripstop, Skinsoft



SIZES: 8 TO 10

COMPOSITION:

Polyester, polyester microfibre

TO 10 2016/425 - MINOR RISKS

GRIFSTOP: Brush clearance and branch cutting

- SCRATCH RESISTANCE
- BREATHABLE-LEAK TIGHT FOR MORE COMFORT
- UNIVERSAL: FITS EVERY ARMS



SINGLE SIZE COMPOSITION:

Polyester Ripstop

2016/425 - MINOR RISKS

T.70X135: Brush clearance and branch cutting

- HIGH THORN RESISTANCE
- COMPLETE LEG COVERING



SINGLE SIZE COMPOSITION:

Cow split leather

2016/425 - MINOR RISKS

WORK



DURANIT-ONE: Handling and machinery operation

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- GRIP IN OILY CONDITIONS
- SECOND SKIN EFFECT

LEAK TIGHTNESS DEXTERITY

MIDSEASON: Mid-season work and pruning

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- PLEASANT SKIN CONTACT
- IDEAL FOR COLD AND WET ENVIRONMENTS (UP TO 0°C)



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, elasthane





SIZES: 7 TO 12 COMPOSITION: Nitrile, acrylic





MACPRO: Outdoor masonry and earthworks

- VALIDATED BY MASONS
- EXCELLENT TOOL GRIP
- CLOSURE ADJUSTABLE AT THE WRIST

WINTERPRO: Heavy work - cold and wet environments

- WITHSTANDS COLD UP TO -10°C
- FULL HAND PROTECTION
- GOOD TOOL GRIP



SIZES: 8 TO 11 COMPOSITION:

Latex, high tenacity polyethylene, mineral fibres





SIZES: 7 TO 11 COMPOSITION:

Nitrile, acrylic







WORK



STRONGER: Major abrasive and cutting works

- VERY GOOD CUT RESISTANCE
- INCREASED LIFE SPAN THANKS TO THE PALM REINFORCEMENT
- MAINTAINS A GOOD GRIP IN WET OR OILY ENVIRONMENTS

CLOTURE: Barbed wire handling

- VALIDATED BY FARMERS
- VERY GOOD PERFORATION RESISTANCE
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY





SIZES: 8 TO 11

COMPOSITION:

Cow split leather, polyurethane, high tenacity polyethylene, mineral fibres, polyamide



SIZES: 8 TO 11 COMPOSITION:

Grain leather, polyester Ripstop



SOLIDO: Timber, rock and plant handling

- VERY PERFORATION RESISTANT
- WATER REPELLENT AND BREATHABLE BACK
- COMFORT LINING



SIZES: 8 TO 11

COMPOSITION:

Cow split leather, polyester Ripstop, polyamide





SORTING & RECYCLING



RIPEUR/CO: Waste collection and sorting

- MAXIMUM CUT RESISTANCE (61.4 N)
- VERY GOOD PERFORATION RESISTANCE
- BARRIER TO OILS AND KEEPS A GOOD GRIP



SIZES: 7 TO 12

Cow split leather, stainless steel, high tenacity polyethylene, polyamide





SIZES: 7 TO 11 COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres



DEXTERITY

LEAK TIGHTNESS

•

WETCUT03-EVOLUTION: Waste collection

- VERY GOOD CUT RESISTANCE
- GRIP IN WET ENVIRONMENTS
- DIRT STAYS ON THE OUTSIDE: ADJUSTABLE WRIST **TIGHTENING**



SIZES: 7 TO 12

COMPOSITION:

Grain leather, Skinsoft, mineral fibres, polyamide, polyester



MASTERTOP: Waste sorting and processing

BLACKNIT: Waste management, sorting and recycling

MAXIMUM CUT RESISTANCE (33.6 N)

SUITABLE FOR OILY ENVIRONMENTS

SOBER BLACK COLOUR, STAIN RESISTANT

- VERY GOOD CUT RESISTANCE (25 N)
- GRIP IN OILY CONDITIONS
- WITHSTANDS CONTACT HEAT UP TO 100°C



SIZES: 7 TO 12

COMPOSITION:

Cow split leather, polyamide, high tenacity polyethylene, mineral fibres



SORTING & RECYCLING



DRAINAGE



B LIQUIDO: High pressure cleaning

- GOOD GRIP
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES
- FOREARM PROTECTION (35 CM)



STOP-OILCUT: Piping, sewer inspection

- MAXIMUM CUT RESISTANCE (40.7 N)GRIP IN WET AND OILY ENVIRONMENTS
- WITHSTANDS CONTACT HEAT UP TO 100°C



SIZES: 7 TO 10

COMPOSITION: Nitrile, polyester



SIZES: 7 TO 11

COMPOSITION:

Nitrile, high tenacity polyethylene, polyester,





stainless steel


WETPRO: Pit, sewage cleaning

- PROTECTION EXTENDED UP TO THE SHOULDER (60 CM)
- ARM ADJUSTMENT USING A TIGHTENING ELASTIC
- GOOD GRIP



SIZES: 9 AND 10 COMPOSITION: PVC, cotton





CARING



ANIMALYS1: Work with animals - bites

- BARRIER TO BITES AND SCRATCHES
- FULL AND EXTENDED ARM PROTECTION (58 CM)
 GOOD PERFORATION PROTECTION



SIZES: 8 TO 12

COMPOSITION:

Cow grain leather, para-aramid

2016/425 MINOR RISKS *Certification pending for information



B RONCIER: Work with animals - scratches

- PROTECTION FROM SCRATCHES AND SMALL TEETH
- GRIP MAINTAINED IN GREASY ENVIRONMENTS
 THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



SIZES: 7 TO 11

COMPOSITION:

Cow split leather, polyester Ripstop, Skinsoft







FARMING THE EARTH AND FEEDING PEOPLE

GROWING & BREEDING

- **22.** RONCIER
- 22. CLOTURE
- 23. WETCUT03 EVOLUTION
- **23**. FV013
- 23. BLACKSTICK+
- 24. COLDPRO
- 24. DURANIT-ONE
- 24. SARMENT
- **25.** SNITRILE
- **25.** GASPRO

HARVESTING

- **26.** LIQUIDO
- **26.** FEELPRO
- **26.** VISIBLE
- **26.** MAXIMA

FISH & GUT

- 27. MACPRO
- **27.** PROTECTMAX
- **27.** LAPERLE

PROCESS & COOK

- **28.** LELOYAL
- 28. LECOMPLET
- 28. LEMANEG+
- 28. LESAINTCARNE
- 29. LAMANICA
- 29. EXTRACOMPLET
- **29.** T.CRYO
- 30. CANADA
- 30. FEELPRO
- 30. WINTERPRO
- **30.** ZPP25
- **31.** TN22
- 31. WHITETACTIL
- **31.** WARM250/50D2



RONCIER: Brush clearance and plot maintenance

- THE THICK LEATHER PROTECTS FROM LARGE THORNS
- BARRIER TO OILS AND KEEPS A GOOD GRIP
 THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY

CLOTURE: Installing agricultural fencing

- VALIDATED BY FARMERS
- VERY GOOD PERFORATION RESISTANCE
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



SIZES: 7 TO 11

Cow split leather, polyester Ripstop, Skinsoft



SIZES: 8 TO 11 COMPOSITION:

Grain leather, polyester Ripstop







WETCUT03-EVOLUTION: Weeding, suckering

- VERY GOOD CUT RESISTANCE
- GRIP IN WET ENVIRONMENTS
- DIRT STAYS ON THE OUTSIDE: ADJUSTABLE WRIST TIGHTENING



EV013: Plot clearance, market gardening

- SCOTCHGUARD TREATED WATER REPELLENT LEATHER
- FREEDOM OF MOVEMENT
- GRIP IN WET ENVIRONMENTS



SIZES: 7 TO 12

COMPOSITION:

Grain leather, Skinsoft, mineral fibres, polyamide, polyester



SIZES: 6 TO 11 COMPOSITION: Goat leather, Skinsoft



BLACKSTICK+: Heavy work, timber handling

- MAXIMUM CUT RESISTANCE (32.1 N)
- DURABILITY STRENGTHENED BY THE BONDING PROCESS
- VERY GOOD PERFORATION RESISTANCE



SIZES: 7 TO 11

COMPOSITION:

Cow split leather, polyurethane, high tenacity polyethylene, mineral fibres







COLDPRO: Winter works

- WITHSTANDS COLD UP TO -10°C
- EXCELLENT GRIP
- VISIBLE COLOUR

DURANIT-ONE: Machinery operation

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS





SIZES: 8 TO 11 COMPOSITION: Latex, acrylic





SIZES: 6 TO 12 COMPOSITION: Nitrile, polyamide, elasthane





3 SARMENT: Vineyard maintenance: pruning, wood, and sorting

- 3 X MORE DURABLE: ERGONOMIC REINFORCEMENTS ON WEAR AREAS
- GOOD SHEAR HANDLING
- IDEAL FOR COLD AND WET ENVIRONMENTS (UP TO 0°C)



SIZES: 8 TO 11 COMPOSITION:

Acrylic, nitrile, polyamide, para-aramid









3 SNITRILE: Preparation for crop treatments spreading, cleaning and washing

- RESISTANT TO 9 CHEMICALS
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES

LEAK TIGHTNESS DEXTERITY

SIZES: 7 TO 10 COMPOSITION: Nitrile, cotton









GASPRO: Crop treatment and leaching preparation

- EXCELLENT GRIP IN GREASY OR WET CONDITIONS
- 35 CM FOREARM PROTECTION
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



SIZES: 9 AND 10 COMPOSITION: PVC, nitrile, polyamide





CHEMICAL RISK INFORMATION

CODE LETTER	CHEMICALS	CAS NUMBER	CLASS	
Α	Methanol	67-56-1	Primary alcohol	
В	Acetone	67-64-1	Ketone	
С	Acetonitrile	75-05-8	Nitrile compound	
D	Dichloromethane	75-09-2	Chlorinated hydrocarbon	
E	Carbon disulphide	75-15-0	Organic compound containing sulphur	
F	Toluene	108-88-3	Aromatic hydrocarbon	
G	Diethylamine	109-89-7	Amine	
н	Tetrahydrofuran	109-99-9	Etheric heterocyclic compounds	
ı	Ethyl acetate	141-78-6	Ester	
J	n-Heptane	142-82-5	Saturated hydrocarbon	
К	Caustic soda 40 % (NaOH or sodium hydroxide)	1310-73-2	Non-organic base	
L	Sulphuric acid 96 %	7664-93-9	Non-organic, oxidant mineral acid	
М	Nitric acid 65 %	7697-37-2	Non-organic, oxidant mineral acid	
N	ACETIC acid 99 %	64-19-7	Organic acid	
0	Ammonia 25%	1336-21-6	Organic base	
Р	Hydrogen peroxide 30 %	7722-84-1	Peroxide	
S	Hydrogen fluoride 40 %	7664-39-3	Non-organic mineral acid	
т	Formaldehyde 37%	50_00_0	Aldahyda	

more $information\ on$ chemical risks:





HARVESTING



• LIQUIDO: Market gardening and vegetable cleaning

- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES
- FOREARM PROTECTION (35 CM)



SIZES: 7 TO 10 COMPOSITION: Nitrile, polyester



■ ULTRA-COMFORTABLE, SECOND SKIN EFFECT ■ SUITABLE FOR FOOD CONTACT

- HIGH VISIBILITY COLOUR



SIZES: 7 TO 11

COMPOSITION:

Nitrile, polyamide, elasthane





VISIBLE: Thorny fruit harvesting

- EXCELLENT TOOL GRIP
- BRIGHT COLOUR TO FIND THE GLOVES QUICKLY



SIZES: 8 TO 11 COMPOSITION: Latex, polyester



MAXIMA: Juice fruit harvesting

- FULL PROTECTION
- SUITABLE FOR INTENSE PLANTING WORK
- CLOSURE ADJUSTABLE AT THE WRIST



SIZES: 7 TO 10 COMPOSITION: Nitrile, polyamide



FISHING & CLEANING



MACPRO: Fish collection and selection

- EXCELLENT GRIP ON RODS AND FISH
- FACILITATES HOOK REMOVAL
- VERY GOOD CUT RESISTANCE (24 N)

PROTECTMAX: Oyster farming ■ EXCELLENT GRIP

- ITS THICK LATEX WITHSTANDS SMALL PERFORATIONS





SIZES: 8 TO 11

COMPOSITION:

Latex, high tenacity polyethylene, mineral fibres



SIZES: 7 TO 10 COMPOSITION: Latex, cotton



LAPERLE: Oyster handling and opening

- EXCELLENT PERFORATION RESISTANCE (PALM REINFORCEMENT)
- MAXIMUM CUT PROTECTION (56.7 N)
- PERMANENTLY WATER AND OIL REPELLENT: LIMITED WATER ABSORPTION



SIZES: 6 TO 10

COMPOSITION: High tenacity polyethylene, mineral fibre, polyester, stainless steel, polypropylene











LELOYAL: Slaughter house - poultry butchering

- MAXIMUM CUT RESISTANCE (45.3 N)
- AMBIDEXTROUS: DOUBLE SERVICE LIFE

LEAK TIGHTNESS DEXTERITY

LECOMPLET: Slaughter house - beef boning and butchering

- MAXIMUM CUT RESISTANCE (56.7 N)
- PERMANENTLY WATER AND OIL REPELLENT: LIMITED WATER ABSORPTION
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 5 TO 11

COMPOSITION: High tenacity polyethylene, mineral fibres, polyester, stainless steel, polypropylene



SIZES: 5 TO 13

COMPOSITION: High tenacity polyethylene, mineral fibre, polyester, stainless steel, polypropylene







LEMANEG+: Slaughter house - pork boning and butchering

- MAXIMUM CUT RESISTANCE (62.8 N)
- PERMANENTLY WATER AND OIL REPELLENT: LIMITED WATER ABSORPTION
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 5 TO 13

COMPOSITION:

High tenacity polyethylene, high tenacity polyamide, stainless steel



LESAINTCARNE: Slaughter house - poultry cutting with shears

- SHEAR RESISTANCE: SHEAR CUTTING
- PERMANENTLY WATER AND OIL REPELLENT: LIMITED WATER ABSORPTION
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 5 TO 11

COMPOSITION: High tenacity polyethylene, mineral fibres, polyester, stainless steel, polypropylene









LAMANICA: Slaughter house - boning and butchering

- MAXIMUM CUT RESISTANCE (56.7 N)
- PERMANENTLY WATER AND OIL REPELLENT: LIMITED WATER ABSORPTION



EXTRACOMPLET: Slaughter house - boning and butchering beef, poultry and seafood

- MAXIMUM CUT PROTECTION UP TO THE SHOULDER (56.7 N)
- PERMANENTLY WATER AND OIL REPELLENT: LIMITED WATER ABSORPTION
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 25 cm - 50 cm - 50 cm XL - 50 cm XXL COMPOSITION: High tenacity polyethylene, mineral fibre, polyester, stainless steel, polypropylene 2016/425 MINOR RISKS



SIZES: 6 TO 13

COMPOSITION: High tenacity polyethylene, mineral fibres, polyester, stainless steel, polyropylene



T.CRYO: Slaughter house - butchering and processing

- FOOD HANDLING
- ADJUSTABLE TIGHTENING STRAP



SINGLE SIZE COMPOSITION: Silicone, wool, cotton **2016/425 MINOR RISKS**







CANADA: Positive cold room handling

- GOOD GRIP
- FOOD HANDLING
- IDEAL FOR COLD AND WET ENVIRONMENTS UP TO 0°C



FEELPRO: Handling in temperate environments

- ULTRA-COMFORTABLE, SECOND SKIN EFFECT
- HIGH VISIBILITY COLOUR
- FOOD HANDLING



SIZES: 6 TO 11 COMPOSITION: Nitrile, acrylic











Nitrile, polyamide, elasthane





WINTERPRO: Handling in negative cold rooms

- WITHSTANDS COLD UP TO -10°C
- FULL HAND PROTECTION
- GOOD GRIP



ZPP25: Glove liner for cold chambers

- INSULATES FROM NEGATIVE COLD (-5°C)
- USED AS A GLOVE LINER, IMPROVES THERMAL COMFORT
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 7 TO 11 COMPOSITION: Nitrile, acrylic







SIZES: 6 TO 11 COMPOSITION:

Polypropylene, elasthane



TN22: Handling of fragile foodstuffs and chocolate production

- DOES NOT FLUFF
- PROCESS PROTECTION: NO SOILING, NO MARKS

WHITETACTIL: Maintenance and handling

- MAXIMUM CUT RESISTANCE (32.1 N)
- SECOND SKIN EFFECT
- COLOUR ADAPTED TO FOOD PROCESSING USES





SIZES: 6 TO 10

COMPOSITION:

Polyamide

SIZES: 6 TO 12

COMPOSITION:

Polyurethane, high tenacity polyethylene, mineral fibres



WARM250/50D2: Removal of dishes from the oven

- FOOD COMPATIBILITY
- WITHSTANDS CONTACT HEAT UP TO 350°C
- DOES NOT SHRINK



SIZES: 8 TO 12

COMPOSITION:

Silicone, para-aramid, acrylic, cotton














CONTROL

34. SKINTOUCH

34. BLACKTACTIL/O

34. GREENTACTILTOUCH

DETECT METALS

36. SCANFORCE-BR

36. SCANFORCE-LG

36. SCANFORCE-BL

36. SCANFORCE-EXE

37. SCANFORCE-GP

37. SCANFORCE-SP

37. SCANFORCE-VE

INTERVENE

38. OPSB+

38. OPSK+

38. OPSB

38. OPSK

38. GP-INTER

38. M0456

39. SPEEDER1KP

39. MONTAGNE

39. SAP

39. CLIFF

SECURE

40. DURANIT-ONE

40. PROTECT4SHOCK

40. RIPDEXG

PARADE

41. CEREMONIE

41. FAUVE

CONTROL



SKINTOUCH: Delicate body search operations

- SECOND SKIN EFFECT
- TIME SAVING: COMPATIBLE WITH TOUCH SCREENS
- OPTIMISED DEXTERITY



BLACKTACTIL/0: Control and arrest operations

- VERY GOOD CUT RESISTANCE (28.2 N)
- SECOND SKIN EFFECT
- COLOUR ADAPTED TO THE USE



SIZES: 6 TO 12 COMPOSITION:

Polyurethane, nylon



SIZES: 6 TO 11

COMPOSITION:

High tenacity polyethylene, mineral fibres



GREENTACTILTOUCH: Military control operations

- MAXIMUM CUT RESISTANCE (32.1 N)
- SECOND SKIN EFFECT
- TIME SAVING: COMPATIBLE WITH TOUCH SCREENS



SIZES: 6 TO 12

COMPOSITION:

Polyurethane, high tenacity polyethylene, mineral fibres





DETECT METAL

Milipol

ROPHEESECURITÉ

A **metal detection** technology using vibrations, adapted to all hands and all professions





THE SCANFORCE METAL DETECTOR GLOVE IS:


100% EFFICIENCY

100% MORE DISCRETE

200% MORE COMFORTABLE

30% FASTER

Than traditional detection pads



PRIVATE SECURITY - POLICE - PRISON WARDENS

Patented French system



more information on the SCANFORCE® line:



DETECT METAL



SCANFORCE-BR: Contact or contactless control operations

- COLOUR ADAPTED TO THE USE
- ADAPTS TO ALL GLOVES



SCANFORCE-LG: Event and private access control

- AMBIDEXTROUS
- USABLE ON THE PALM OR BACK
- ALLOWS FRISKING CONTACT



SIZES: S-M AND L-XL COMPOSITION:

Goat leather

2004/108/EC EMC EN50366:2003 EN61326-1:2006 EN55011:2007+A2

SINGLE SIZE COMPOSITION: Goat leather 2004/108/EC EMC EN50366:2003 EN61326-1:2006 EN55011:2007+A2

SCANFORCE-BL: Sensitive control operations: police, prison establishments

- SOBER AND DISCRETE
- VERY GOOD CUT RESISTANCE (28.2 N)
- DETECTION ACCURACY



SIZES: 7 TO 11

COMPOSITION:

Goat leather, high tenacity polyethylene, mineral fibres

2004/108/EC EMC EN50366:2003 EN61326-1:2006 EN55011:2007+A2

SCANFORCE-EXE: Training model

- SUITABLE FOR TRAINING
- HIGH VISIBILITY COLOUR
- SMALL CUT RESISTANCE



SIZES: 7 TO 11

COMPOSITION:

Goat leather, high tenacity polyethylene, polyurethane

2004/108/EC EMC EN50366:2003 EN61326-1:2006 EN55011:2007+A2

DETECT METAL



SCANFORCE-GP: Control and security operations for access and public spaces

- WATER REPELLENT
- GOOD CUT RESISTANCE
- COMFORT LINING



SCANFORCE-SP: Security - civil and military interventions, transport security

- EXCELLENT SHOCK PROTECTION (D30® SHELLS)
- GOOD GRIP FROM THE SILICONE
- HOOK AND LOOP ADJUSTABLE TIGHTENING



SIZES: 7 TO 11

COMPOSITION:

Goat leather, polyamide, elasthane

EMC EN50366: 2003 EN61326-1:2006 EN55011:2007+A2

SIZES: 8 TO 11

COMPOSITION:

Goat leather, silicone amara, polyester

2004/108/EC EMC EN50366:2003 EN61326-1:2006 EN55011:2007+A2

SCANFORCE-VE: Security - interventions on sensitive sites, ministries and embassies

- SHOCK PROTECTION USING D30®
- FINGERS CLEAR FOR FIREARMS
- OPTIMUM SENSITIVITY



SIZES: 8 TO 11

COMPOSITION:

Goat leather, silicone amara, elasthane, polyester

EMC EN50366: 2003 EN61326-1:2006 EN55011:2007+A2



INTERVENE



OPSB+* / OPSK+**: Weapons handling

- MAXIMUM CUT RESISTANCE (32.1 N)
- STANDARDISED SHOCK PROTECTION ON SENSITIVE ZONES
- TRIGGER FINGER DEXTERITY



OPSB* / OPSK**: Weapons handling

- MAXIMUM CUT RESISTANCE (32.1 N)
- OPTIMUM GRIP FROM THE SILICONE
- TRIGGER FINGER DEXTERITY



SIZES: 6 TO 11

COMPOSITION:

High tenacity polyethylene, polyurethane, $\mathrm{D30}^{\scriptsize{\$0}}$, silicone amara, thermoplastic



SIZES: 6 TO 11

COMPOSITION:

High tenacity polyethylene, polyurethane, D30®, silicone amara



LEAK TIGHTNESS

DEXTERITY

GP-INTER: Interventions and arrests

- MODEL APPROVED BY THE FRENCH MINISTRY OF THE INTERIOR
- GOOD CUT RESISTANCE
- WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY

M0456: Security operations - security and military

- D30® STANDARD SHOCK PROTECTION
- OPTIMUM GRIP FROM THE SILICONE
- FIRE TREATMENT



SIZES: 6 TO 11

COMPOSITION:

Goat leather, cotton, mineral fibres, para-aramid, high tenacity polyethylene



SIZES: 7 TO 11 COMPOSITION: Goat leather, aramid, D30®



INTERVENE



SPEEDER1KP: Motorcycling and interventions

- MOTORCYCLE STANDARDS
- EXCELLENT HANDLEBAR GRIP
- FLEXIBLE D30® PROTECTION SHELLS



SIZES: 6 TO 12

COMPOSITION:

Goat leather, silicone amara, polyester, D30®





MONTAGNE: Control operations - cold environments

- WITHSTANDS COLD UP TO -20°C
- LEASH TO AVOID LOSING THE GLOVE
- **EXCELLENT GRIP**



SIZES: 6 TO 12

COMPOSITION:

Goat leather, impercore fabric, amara silicone coated studs, polyester fur

SAP: FAST-ROPE descent operations

- USE OF ALL ROPES IN EXTREME SITUATIONS
- HEAT RESISTANT
- VERY ABRASION AND PERFORATION RESISTANT

LEAK TIGHTNESS DURABILITY DEXTERITY

SIZES: 7 TO 11

COMPOSITION:

Goat leather, polyurethane laminated polyamide fabric, cow split leather, para-aramid



SIZES: 8 TO 11

COMPOSITION:

Cow split leather, foamback, goat leather, polyester

CLIFF: Abseiling operations

- SUITABLE FOR ROPE USE
- REINFORCEMENT ON THE WEAR ZONE
- VERY ABRASION AND PERFORATION RESISTANT



2016/425 MINOR RISKS

2016/425 MINOR RISKS

SECURE



DURANIT-ONE: Installation of temporary security barriers

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- GRIP IN OILY CONDITIONS

PROTECT4SHOCK: Dog handler

- PROTECTION FROM LEAD MOVEMENT: D30® REINFORCEMENT
- OPTIMISED DEXTERITY





SIZES: 6 TO 12 COMPOSITION:

Nitrile, polyamide, elasthane



SIZES: 7 TO 10 COMPOSITION: Metis leather, polyester, D30®

10 2016/425 MINOR RISKS

RIPDEXG: Perimeter security - barbed wire installation: Concertina barbed wire, razor wire

- MAXIMUM CUT RESISTANCE (62 N)
- VERY GOOD PERFORATION RESISTANCE
- GRIP MAINTAINED IN WET AND OILY ENVIRONMENTS



SIZES: 7 TO 11

COMPOSITION:

 $\label{lem:cowsplit} \mbox{Cow split leather, stainless steel, high tenacity polyethylene, polyamide} \\$





PARADE



CEREMONIE: Shows and parades

- CROW'S FOOT FINISH
- WASHABLE: STABILISED STITCHING



SIZES: 6 TO 10 COMPOSITION: Cotton


FAUVE: Shows and parades

- TOP END LEATHER
- EXTREME FLEXIBILITY
- DISCRETE COLOUR



SIZES: 6 TO 12 COMPOSITION: Lamb leather, silk

2016/425 MINOR RISKS









RESCUE

PUT OUT STRUCTURAL AND OUTDOOR FIRES

- 44. ATTACK6PEOM-BSCT
- **44.** ATTACK6PEOM-BSC
- **44.** ATTACK6PEOMTEX-BSC
- 44. TREXSMSQUALE-BLSC
- 46. ATTACK6PEOTEX-B
- 46. BLACKSTARM-B
- **46.** ATTACK6PEOM-B
- 46. TREXSSQUALE-B

CONTROL FOREST FIRES

- **47.** SPP2NIT05+
- 47. SPP2NITBKV+

EXTRICATE ROAD RESCUI

- **48.** RESCUEFITFLUO
- 48. RESCUEFLUO-SC
- 48. RESCUEFLUOBC-SC
- 48. BLACKSTICK+

INTERVENE & ASSIST

- **50.** STOP-OIL
- **50.** GASPRO
- **50.** DURANIT-ONE
- 50. MIDSEASON
- **51.** BLACKSTICK+-SC
- **51.** SAP
- **51.** ANIMALYS1

PARADE

- 41. CEREMONIE
- **41.** FAUVE

PUT OUT STRUCTURAL AND OUTDOOR FIRES



ATTACK6PEOM-BSCT: Fire fighting interventions

- REINFORCED BACK AND CUFF PROTECTION IN FLASHOVER SITUATIONS
- GUARANTEED STRENGTH AFTER WASHING



ATTACK6PEOM-BSC: Fire fighting interventions

- REINFORCED FLASHOVER PROTECTION
- GUARANTEED STRENGTH AFTER WASHING
- PROTECTION FROM THERMAL BRIDGES



SIZES: 6 TO 13

COMPOSITION:

Textile mix, goat leather, para-aramid, AIRSYSTEM fabric +A1 2008







SIZES: 6 TO 13

COMPOSITION:

Textile mix, goat leather, para-aramid, AIRSYSTEM fabric







ATTACK6PEOMTEX-BSC: Fire fighting interventions

- REINFORCED BACK AND CUFF PROTECTION IN FLASHOVER SITUATIONS
- GUARANTEED STRENGTH AFTER 10 WASHES
- THERMALLY ULTRA-STABLE THERMASIL PALM



SIZES: 6 TO 13

COMPOSITION:

100% textile, AIRSYSTEM fabric, silicone coating, para-aramid





TREXSMSQUALE-BLSC: Fire fighting interventions

- PROTECTION FROM THERMAL BRIDGES
- GUARANTEED STRENGTH AFTER WASHING



SIZES: 6 TO 12

COMPOSITION:

100% leather (goat leather, cow split leather), para-aramid





PUT OUT STRUCTURAL AND OUTDOOR FIRES









In 2020, Rostaing was the first supplier to obtain the Civil Protection Label delivered by the FRENCH MINISTRY OF THE INTERIOR. This qualification that defines the essential health and safety requirements to follow in matters of standards, European regulations and the Labour Code, guarantees you the best protection and technical performance. An absolute necessity that is a reflection of the demands we impose on ourselves to ever better protect those who risk their lives to protect us.

Flash the QR code to see the label requirements

PUT OUT STRUCTURAL AND OUTDOOR FIRES



ATTACK6PEOTEX-B: Fire fighting interventions

- REINFORCED FLASHOVER PROTECTION
- GUARANTEED STRENGTH AFTER WASHING
- MAXIMUM CUT RESISTANCE (33.9 N)

TOP SALES LEAK TIGHTNESS • DEXTERITY

SIZES: 6 TO 13

COMPOSITION:

100% textile, AIRSYSTEM fabric, silicone coating, para-aramid +AI 2008

EN659:2003 EN388







BLACKSTARM-B: Interventions on structural fires industrial fires

- OPTIMUM FLEXIBILITY ADAPTED TO ALL USES
- GUARANTEED STRENGTH AFTER WASHING
- PROTECTION FROM THERMAL BRIDGES



SIZES: 6 TO 13

LEATHER

COMPOSITION:

Goat leather, cow split leather, para-aramid









ATTACK6PEOM-B: Fire fighting interventions

- REINFORCED FLASHOVER PROTECTION
- GUARANTEED STRENGTH AFTER WASHING
- MAXIMUM CUT RESISTANCE (34.5 N)

TOP SALES LEAK TIGHTNESS 9 DEXTERITY

SIZES: 6 TO 13 COMPOSITION:

Textile mix, goat leather, para-aramid, AIRSYSTEM fabric +A1 2008







PROTECTION FROM THERMAL BRIDGES GUARANTEED STRENGTH AFTER WASHING

TREXSSQUALE-B: Interventions on structural fires

■ PROTECTION REINFORCED BY THE THICKNESS OF THE



SIZES: 6 TO 12

COMPOSITION:

Goat leather, cow split leather, para-aramid





CONTROL FOREST FIRES



SPP2NIT05+: Interventions on forest fires and rescues

- OPTIMUM FLEXIBILITY ADAPTED TO ALL USES
- THE LEATHER DOES NOT HARDEN AFTER WASHING
- EASY TO DON THANKS TO THE CUFF WIDTH

LEAK TIGHTNESS DEXTERITY

SPP2NITBKV+: Interventions on forest fires and rescues

- OPTIMUM FLEXIBILITY ADAPTED TO ALL USES
- THE LEATHER DOES NOT HARDEN AFTER WASHING
- EASY TO DON THANKS TO THE HANGER LOOP



SIZES: 6 TO 12

COMPOSITION:

Cow grain leather, para-aramid, cotton, mineral fibres









SIZES: 6 TO 12

COMPOSITION:

Cow grain leather, para-aramid, cotton, mineral fibres







TECHNOLOGY IRSYST

AIRSYSTEM® is a new generation or aramide based technical textiles that have increased heat resistance. The perfect compromise between protection and comfort that can react to heat flows.

Air-bag effect


Thanks to its innovation and cutting edge technology, AIRSYSTEM® effectively protects the hands and forearms from FLASH-OVER.


The diamond-shaped cells swell at a very high temperature to create an air layer that provides an additional thermal barrier.

AIRSYSTEM

Improves the heat resistance technical performances of our products by 20%







VEHICLE EXTRICATION



RESCUEFITFLUO: Personal rescue and road rescue

- MAXIMUM CUT RESISTANCE (32.1 N)
- STANDARD SHOCK PROTECTION



RESCUEFLUOBC-SC: Personal rescue and road rescue

- MAXIMUM CUT RESISTANCE (32.1 N)
- STANDARD SHOCK PROTECTION
- GRIP IN WET AND OILY ENVIRONMENTS



SIZES: 6 TO 11

COMPOSITION: High tenacity polyethylene, mineral fibres, polyurethane, cow split leather, D30®, thermoplastic



SIZES: 6 TO 11

COMPOSITION: High tenacity polyethylene, mineral fibres, polyurethane, cow split leather, D30[®], thermoplastic



RESCUEFLUO-SC: Personal rescue and road rescue

- MAXIMUM CUT RESISTANCE (32.1 N)
- STANDARD SHOCK PROTECTION
- WRIST ADJUSTMENT SYSTEM



SIZES: 6 TO 11

COMPOSITION: High tenacity polyethylene, mineral fibres, polyurethane, cow split leather, D30®, thermoplastic



BLACKSTICK+-SC: Personal rescue and road rescue

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN WET AND OILY ENVIRONMENTS
- VERY GOOD PERFORATION RESISTANCE



SIZES: 7 TO 11

COMPOSITION:

Cow split leather, polyurethane, high tenacity polyethylene, mineral fibres



VEHICLE EXTRICATION



INTERVENE & ASSIST



STOP-OIL: Wildlife rescue

- GRIP IN OILY CONDITIONS
- TOTAL OIL AND WATER PROTECTION

GASPRO: Wildlife rescue

- HYDROCARBON & CHEMICAL RESISTANCE
- GRIP MAINTAINED IN GREASY ENVIRONMENTS





SIZES: 6 TO 11 COMPOSITION: Nitrile, polyamide



SIZES: 9 AND 10 COMPOSITION:

韭 PVC, nitrile, polyamide

EN388



3 DURANIT-ONE: Rescue and stretcher bearers

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT

SUITABLE FOR OILY ENVIRONMENTS



MIDSEASON: Handling operations and barracks maintenance

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- PLEASANT SKIN CONTACT
- IDEAL FOR COLD AND WET ENVIRONMENTS (UP TO 0°C)



SIZES: 6 TO 12 COMPOSITION:

Nitrile, polyamide, elasthane



SIZES: 7 TO 12 COMPOSITION: Nitrile, acrylic





INTERVENE & ASSIST



BLACKSTICK+-SC: Work operations

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN WET AND OILY ENVIRONMENTS
- VERY GOOD PERFORATION RESISTANCE



SIZES: 7 TO 11

COMPOSITION:

Cow split leather, polyurethane, high tenacity polyethylene, mineral fibres



SAP: Technical rescue and GRIMP (Hazardous environment intervention group)

- USE OF ALL ROPES IN EXTREME SITUATIONS
- HEAT RESISTANT
- GOOD CUT RESISTANCE



SIZES: 7 TO 11

COMPOSITION:

Goat leather, polyurethane laminated polyamide fabric, cow split leather, para-aramid 4344C x2xxxx







ANIMALYS1: Personal and non venomous pet rescue

- BARRIER TO BITES AND SCRATCHES
- FULL ARM PROTECTION (58 CM)
- GOOD PERFORATION PROTECTION



SIZES: 8 TO 12

COMPOSITION:

Cow grain leather, para-aramid









MANAGE ENERGY

EXTRACT & PRODUCE

- **54.** FEELPRO
- **54.** VIBRAPROTECT
- **54.** EPS25A
- **55.** BACKPROTECT
- **55.** MAXIPRO
- 55. STOP-OILCUT
- **55.** WETPRO
- **56.** CRIO
- **56.** CRIOBC
- **57.** EV013
- **57.** STOP-OIL
- **57.** GASPRO

DISTRIBUTE

- 58. DURANIT-ULTRA
- 58. DURANIT-PLUS
- 58. DURANIT-ONE
- **59.** BACKPROTECT
- **59.** MACPRO

ISOLATE & SAFEGUARD

- 60. FIT4PROTOUCH
- **60.** FITXTRA
- 60. SKINPRO
- **61.** PROSOUD/1
- **61.** EM25
- **61.** SNITRILE



FEELPRO: Machinery and gantry crane operators

- ULTRA-COMFORTABLE, SECOND SKIN EFFECT
- EXCELLENT GRIP
- HIGH VISIBILITY



VIBRAPROTECT: Extraction - Pneumatic drill

- VALIDATED BY PUBLIC WORKS PROFESSIONALS
- STANDARDISED VIBRATION ABSORPTION
- OPTIMISED ERGONOMICS FOR INTENSIVE WORK



SIZES: 7 TO 11

COMPOSITION:

Nitrile, polyamide, elasthane





SIZES: 8 TO 11

COMPOSITION:

Foamed latex, polyester, cotton





EPS25A: Operations technician

- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY
- FULL HAND PROTECTION



SIZES: 6 TO 11 COMPOSITION: Goat leather







BACKPROTECT: Water - gas pipe-layer

- PROTECTS FROM HAND CRUSHING RISKS
- STANDARDISED SHOCK PROTECTION ON THE BACK OF THE HAND
- GOOD GRIP

® MAXIPRO: Water - gas pipe-layer

- FULL HAND PROTECTION
- EXCELLENT TOOL GRIP





SIZES: 8 TO 10

COMPOSITION:

Natural latex, polyamide, cotton



STOP-OILCUT: Water - gas pipe-layer

- MAXIMUM CUT RESISTANCE (40.7 N)
- GRIP IN OILY CONDITIONS
- WITHSTANDS CONTACT HEAT UP TO 100°C



EN388

EN407

SIZES: 7 TO 11

COMPOSITION:

Nitrile, high tenacity polyethylene, polyester, stainless steel





WETPRO: Water - gas pipe-layer

- PROTECTION EXTENDED UP TO THE SHOULDER (60 CM)
- ARM ADJUSTMENT USING A TIGHTENING ELASTIC
- GOOD GRIP



SIZES: 9 AND 10 COMPOSITION:

PVC, cotton





CRIOBC: Cryogenic gas handling

- PROTECTS FROM CRYOGENIC COLD (-196°C)
- WRIST PROTECTION WITH VEIN PATCH
- LEATHER THAT DOES NOT HARDEN ONCE DRY



SIZES: 8 TO 11 COMPOSITION: Cow grain leather, wool, cotton







CRIO: Cryogenic gas handling

- PROTECTS FROM CRYOGENIC COLD (-196°C)
- EXTENDED FOREARM PROTECTION
- LEATHER THAT DOES NOT HARDEN ONCE DRY





SIZES: 8 TO 11 COMPOSITION:

Cow grain leather, wool, cotton











EV013: Refinery operations

- SCOTCHGUARD TREATED WATER REPELLENT LEATHER
- FREEDOM OF MOVEMENT
- GRIP MAINTAINED IN GREASY ENVIRONMENTS



SIZES: 6 TO 11 COMPOSITION: Goat leather, Skinsoft



STOP-OIL: Refinery operations

- GRIP IN OILY CONDITIONS
- TOTAL OIL AND WATER PROTECTION



SIZES: 6 TO 11 COMPOSITION: Nitrile, polyamide



GASPRO: Refinery operations

- HYDROCARBON & CHEMICAL RESISTANCE
- EXCELLENT GRIP IN GREASY CONDITIONS




SIZES: 9 AND 10 COMPOSITION: PVC, nitrile, polyamide



EN ISO 374-1:2019 TYPE A



DISTRIBUTE



DURANIT-ULTRA: Operations on energy distribution networks

- MAXIMUM CUT RESISTANCE (40.4 N)
- SECOND SKIN EFFECT
- GRIP IN OILY CONDITIONS



DURANIT-PLUS: Operations on energy distribution networks

- VERY GOOD CUT RESISTANCE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elasthane 4x42F x1xxxx



SIZES: 6 TO 12 COMPOSITION:

Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane





DURANIT-ONE: Operations on energy distribution networks

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



SIZES: 6 TO 12 COMPOSITION: Nitrile, polyamide, elasthane EN388





DISTRIBUTE



BACKPROTECT: Gas and oil bottle handling

- PROTECTS FROM HAND CRUSHING RISKS
- STANDARD SHOCK PROTECTION
- GOOD GRIP



MACPRO: Operations on distribution networks

- VERY GOOD CUT RESISTANCE (24 N)
- EXCELLENT TOOL GRIP
- CLOSURE ADJUSTABLE AT THE WRIST



SIZES: 8 TO 10

COMPOSITION:

Natural latex, polyamide, cotton



SIZES: 8 TO 11

COMPOSITION:

Latex, high tenacity polyethylene, mineral fibres





INSULATE & SAFEGUARD



FIT4PROTOUCH: Handling of electronic parts

- USE IN **ELECTROSTATIC** ENVIRONMENTS
- HIGH VISIBILITY
- SMALL CUT RESISTANCE



FITXTRA: Thermal assembly operations

- SMALL CUT RESISTANCE
- SECOND SKIN EFFECT
- COOL SENSATION



SIZES: 6 TO 11

COMPOSITION:

Polyurethane, high tenacity polyethylene, carbon





SIZES: 6 TO 11

COMPOSITION:

Polyurethane, high tenacity polyethylene, polyamide



SKINPRO: Assembly, installation and maintenance

- ULTRA LIGHTWEIGHT
- BETTER ALTERNATIVE TO DISPOSABLE GLOVES



SIZES: 7 TO 11 COMPOSITION: Polyurethane, polyester





INSULATE & SAFEGUARD



PROSOUD/1: Sheet metal work operations

- WELDER STANDARD
- VERY GOOD CUT RESISTANCE (24.9 N)
- RESISTANCE TO MOLTEN METAL SPRAY



EM25: Electric and explosives operations

- EXTREMELY FINE TOUCHDOES NOT FLUFF
- PRODUCES NO STATIC ELECTRICITY



SIZES: 6 TO 12

COMPOSITION:

Cow split leather, para-aramid, mineral fibres, cotton, polyester 4443E 413244



SIZES: 6 TO 11 COMPOSITION: Lamb leather

2016/425 MINOR RISKS

CHEMICALS

SNITRILE: Operations on thermal installations (water-air)

- RESISTANT TO 9 CHEMICALS
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



SIZES: 7 TO 10 COMPOSITION: Nitrile, cotton



EN ISO 374-1:2016 TYPE A EN ISO 374-5:2016





CHEMICAL RISK INFORMATION

Α	Methanol	67-56-1	Primary alcohol
В	Acetone	67-64-1	Ketone
С	Acetonitrile	75-05-8	Nitrile compound
D	Dichloromethane	75-09-2	Chlorinated hydrocarbon
E	Carbon disulphide	75-15-0	Organic compound containing sulphur
F	Toluene	108-88-3	Aromatic hydrocarbon
G	Diethylamine	109-89-7	Amine
Н	Tetrahydrofuran	109-99-9	Etheric heterocyclic compounds
I	Ethyl acetate	141-78-6	Ester
J	n-Heptane	142-82-5	Saturated hydrocarbon
К	Caustic soda 40 % (NaOH or sodium hydroxide)	1310-73-2	Non-organic base
L	Sulphuric acid 96 %	7664-93-9	Non-organic, oxidant mineral acid
М	Nitric acid 65 %	7697-37-2	Non-organic, oxidant mineral acid
N	ACETIC acid 99 %	64-19-7	Organic acid
0	Ammonia 25%	1336-21-6	Organic base
Р	Hydrogen peroxide 30 %	7722-84-1	Peroxide
S	Hydrogen fluoride 40 %	7664-39-3	Non-organic mineral acid
Т	Formaldehyde 37%	50-00-0	Aldehyde

CAS NUMBER

CLASS







PROCESS METAL

PROCESS

- **64.** PROFUSION-1
- **64.** PROTRI-1
- **64.** ALUWELD
- **65.** B7VERD
- **65.** HEATRESIST-MITT
- **65.** WARM250/50D2
- **66.** OILGRIP5
- **66.** ROLLHEAT
- **66.** HYDROPRO
-
- **67.** METALSTRONG+
- **67.** METALSTRONG
- **67.** MASTERTOP
- **67.** BLACKTOP
- **68.** ERGOMASTER
- **68.** ERGOPRIMA
- **68.** PRIMACUFF
- **69.** TABMASTER
- **69.** TABMASTER+
- 69. MASTERTSHIRT

PROCESS & ASSEMBLE

- 70. SPLITWELD
- **70.** PROSOUD/1
- 70. LIGHT-WELD
- **71.** STOP-OILCUT
- **71.** BLACKNIT
- **71.** FIT4PROTOUCH

ASSEMBLE

- **72.** BLACKTACTIL
- 72. STICKFLEX
- **72.** TAKECARE
- 72. DURANIT-ULTRA
- 73. PROTECT4SHOCK
- **73.** OPSB+
- **73.** DURANIT-ONE

HANDLE

- **74.** BLACKTACTIL
- **74.** BLACKTACTIL/0
- **74.** BLACKTOPNIT
- **75.** WETCUT01-EVOLUTION
- **75.** WETCUT03-EVOLUTION
- 75. WETCUT03M-EVOLUTION
- **75.** WETCUT05-EVOLUTION

CONTROL

- **76.** SPEEDNET
- **76.** TN27NS
- 77. SKINPRO
- 77. CANADA
- 77. MECANO



PROFUSION-1: Foundries

- EXCELLENT HEAT RESISTANCE AT 500°C
- RESISTANCE TO MOLTEN METAL SPRAY
- BARRIER TO OILS AND KEEPS A GOOD GRIP



PROTRI-1: Foundries

- WITHSTANDS CONTACT HEAT UP TO 350°C
- VERY GOOD CUT RESISTANCE (24.8 N)
- GRIP MAINTAINED IN GREASY AND WET ENVIRONMENTS



SIZES: 6 TO 12

COMPOSITION:

Cow split leather, aluminised fabric, para-aramid, mineral fibres, cotton



<u>O</u>,

SIZES: 8 TO 11

COMPOSITION:

Cow split leather, para-aramid, mineral fibres, cotton







ALUWELD: Foundries

- WELDER STANDARD
- RESISTANCE TO MOLTEN METAL SPRAY
- GOOD GRIP



SIZES: 8 TO 11

COMPOSITION:

Cow split leather, aluminised fabric, wool, cotton











B7VERD: Foundries

- VALIDATED BY FLUE MASONS
- HIGH TEMPERATURE RESISTANCE: UP TO 800°C
- MAXIMUM CUT RESISTANCE (77.6 N)

HEATRESIST-MITT: Foundries

- WITHSTANDS CONTACT HEAT UP TO 500°C
- VERY GOOD CUT RESISTANCE (29.2 N)
- AMBIDEXTROUS: DOUBLE SERVICE LIFE





SINGLE SIZE COMPOSITION:

Mineral fibres, silicone, cotton



SINGLE SIZE

COMPOSITION:

Para-aramid terry loop, wool, cotton, aramid

EN388



WARM250/50D2: Foundries

- WITHSTANDS CONTACT HEAT UP TO 350°C WITHOUT SHRINKAGE
- VERY GOOD CUT RESISTANCE (24.2 N)
- LIQUID AND HOT VAPOUR REPELLENT



SIZES: 8 TO 12

COMPOSITION:

Silicone, para-aramid, acrylic, cotton











OILGRIP5: Rolling

- WITHSTANDS FLAMES AND CONTACT HEAT UP TO 350°C
- MAXIMUM CUT RESISTANCE (42 N)
- GRIP MAINTAINED IN GREASY ENVIRONMENTS

ROLLHEAT: Rolling

- WITHSTANDS CONTACT HEAT UP TO 350°C
- VERY GOOD CUT RESISTANCE
- BARRIER TO OILS AND KEEPS A GOOD GRIP





SIZES: 8 TO 11

COMPOSITION:

Para-aramid, cow split leather, silicone, cotton, mineral fibres





SIZES: 7 TO 11 COMPOSITION: Para-aramid terry loop, cotton





HYDROPRO: Rolling

- WITHSTANDS CONTACT HEAT UP TO 100°C
- GOOD CUT RESISTANCE
- THE WATERPROOFED LEATHER DOES NOT HARDEN ONCE DRY



SIZES: 8 TO 11 COMPOSITION: Cow grain leather, para-aramid











METALSTRONG+: Stamping

- MAXIMUM CUT RESISTANCE (51.8 N)
- GRIP IN OILY CONDITIONS
- FULL HAND BACK PROTECTION

METALSTRONG: Stamping

- MAXIMUM CUT RESISTANCE (51.8 N)
- GRIP IN OILY CONDITIONS





SIZES: 7 TO 11

COMPOSITION:

Cow split leather, cotton, stainless steel, high tenacity polyethylene, polyamide



SIZES: 7 TO 11

COMPOSITION:

Cow split leather, cotton, stainless steel, high tenacity polyethylene, polyamide



MASTERTOP: Stamping

- VERY GOOD CUT RESISTANCE (25 N)
- GRIP IN OILY CONDITIONS
- WITHSTANDS CONTACT HEAT UP TO 100°C



BLACKTOP: Stamping

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN OILY CONDITIONS
- VERY GOOD PERFORATION RESISTANCE



SIZES: 7 TO 12

COMPOSITION:

Cow split leather, polyamide, high tenacity polyethylene, mineral fibres



SIZES: 7 TO 11

COMPOSITION:

Cow split leather, polyurethane, high tenacity polyethylene, mineral fibres





ERGOMASTER: Stamping

- VERY GOOD CUT RESISTANCE (29.3 N)
- MOVEMENT FACILITATED BY THE KNIT ERGONOMICS

ERGOPRIMA: Stamping

- VERY GOOD CUT RESISTANCE
- MOVEMENT FACILITATED BY THE KNIT ERGONOMICS
- HIGH VISIBILITY ORANGE COLOUR



SIZES: 35 cm, 45 cm (with or without hook and loop), 60 cm (with hook and loop)

COMPOSITION:

Polyamide, high tenacity polyethylene, mineral fibres



SIZES: $35\ \mathrm{cm}$, $45\ \mathrm{cm}$ (with or without hook and loop), $60\ \mathrm{cm}$ (with hook and loop)

COMPOSITION:

Polyamide, polyester, mineral fibres



PRIMACUFF: Stamping

- VERY GOOD CUT RESISTANCE
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 35 cm, 45 cm (with or without hook and loop), 50 cm (with hook and loop), 60 cm (with hook and loop)



Polyamide, polyester, mineral fibres









TABMASTER: Stamping

- VERY GOOD CUT RESISTANCE
- ADJUSTABLE TIGHTENING STRAP



2016/425 MINOR RISKS

SINGLE SIZE COMPOSITION:

Polyamide, high tenacity polyethylene, mineral fibres

TABMASTER+: Stamping

- VERY GOOD CUT RESISTANCE ADJUSTABLE TIGHTENING STRAP
- REINFORCED PROTECTION ON 1ST WEAR ZONE



SINGLE SIZE

2016/425 MINOR RISKS COMPOSITION:

Cow split leather, polyamide, high tenacity polyethylene, mineral fibres

MASTERTSHIRT: Stamping

- PRACTICAL: 2 IN 1
- REINFORCED PROTECTION



SIZES: M TO XXL

2016/425 MINOR RISKS

COMPOSITION:

Cotton, high tenacity polyethylene, mineral fibres



PROCESS & ASSEMBLE



SPLITWELD: Welding and sheet metal work

- WELDER STANDARD
- SUITABLE FOR WELD MAINTENANCE AND REPAIRS
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY

PROSOUD/1: Welding and sheet metal work

- •WELDER STANDARD
- VERY GOOD CUT RESISTANCE (24.9 N)
- RESISTANCE TO MOLTEN METAL SPRAY





SIZES: 7 TO 11 COMPOSITION: Cow split leather







SIZES: 6 TO 12

COMPOSITION:

Cow split leather, para-aramid, mineral fibres, cotton, polyester 4443E 413244







LIGHT-WELD: Welding and brazing

- WELDER STANDARD
- SUITABLE TO GRIP WELDING-BRAZING RODS
- GOOD CUT RESISTANCE



SIZES: 7 TO 11

COMPOSITION:

Goat leather, para-aramid, mineral fibres, cotton









PROCESS & ASSEMBLE



STOP-OILCUT: Machining

- MAXIMUM CUT RESISTANCE (40.7 N)
- GRIP MAINTAINED IN GREASY ENVIRONMENTS
- WITHSTANDS CONTACT HEAT UP TO 100°C



SIZES: 7 TO 11 COMPOSITION:

Nitrile, high tenacity polyethylene, polyester, stainless steel





BLACKNIT: Machining

- MAXIMUM CUT RESISTANCE (33.6 N)
- SUITABLE FOR OILY ENVIRONMENTS
- SOBER BLACK COLOUR, STAIN RESISTANT



SIZES: 7 TO 11

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres



FIT4PROTOUCH: Antistatic operations - ATEX zones

- SMALL CUT RESISTANCE
- ELECTROSTATIC PROTECTION
- HIGH VISIBILITY



SIZES: 6 TO 11

COMPOSITION:

Polyurethane, high tenacity polyethylene, carbon





ASSEMBLE



BLACKTACTIL: Rebars and rivets

- MAXIMUM CUT RESISTANCE (32.1 N)
- SECOND SKIN EFFECT
- COLOUR ADAPTED TO THE USE



STICKFLEX: Rebars

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN OILY CONDITIONS
- VERY GOOD PERFORATION RESISTANCE



SIZES: 6 TO 12

COMPOSITION:

Polyurethane, high tenacity polyethylene, mineral fibres



SIZES: 7 TO 11

COMPOSITION:

Goat leather, high tenacity polyethylene, mineral fibres



TAKECARE: Rebars

- GOOD CUT RESISTANCE
- DURABILITY STRENGTHENED BY 50%
- WITHSTANDS CONTACT HEAT UP TO 100°C



O DURANIT-ULTRA: Adjuster fitter

- MAXIMUM CUT RESISTANCE (40.4 N)
- SECOND SKIN EFFECT
- GRIP IN OILY CONDITIONS



SIZES: 6 TO 11

COMPOSITION:

 $Polyure than e, \ high \ tenacity \ polyethylene, \ polyamide, \ elasthan e$



SIZES: 6 TO 12

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elasthane



ASSEMBLE



PROTECT4SHOCK: Intensive clipping

- CAN BE USED AS A CLIPPING HAND TOOL (D30®)
- OPTIMISED DEXTERITY

LEAK TIGHTNESS DEXTERITY

SIZES: 7 TO 10 COMPOSITION:

Metis leather, polyester, D30®

OPSB+: Occasional clipping

- MAXIMUM CUT RESISTANCE (32.1 N)
- STANDARDISED SHOCK PROTECTION ON SENSITIVE ZONES
- OPTIMUM GRIP



SIZES: 6 TO 11

COMPOSITION:

High tenacity polyethylene, polyurethane, D30®, silicone amara, thermoplastic



DURANIT-ONE: Assembly operations

■ 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE

2016/425 MINOR RISKS


- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



SIZES: 6 TO 12 COMPOSITION:

Nitrile, polyamide, elasthane





HANDLE



BLACKTACTIL: Cutting handling

- MAXIMUM CUT RESISTANCE (32.1 N)
- SECOND SKIN EFFECT
- COLOUR ADAPTED TO THE USE

BLACKTACTIL/0: Handling - removal from the press

- VERY GOOD CUT RESISTANCE (28.2 N)
- SECOND SKIN EFFECT
- COLOUR ADAPTED TO THE USE





SIZES: 6 TO 12

COMPOSITION:

Polyurethane, high tenacity polyethylene, mineral fibres



SIZES: 6 TO 11

COMPOSITION:

High tenacity polyethylene, mineral fibres



BLACKTOPNIT: Invar handling

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN OILY CONDITIONS
- LEAVES NO MARKS



SIZES: 7 TO 11

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres





HANDLE



WETCUT01-EVOLUTION: Handling and assembly

- SMALL CUT RESISTANCE
- GRIP IN WET ENVIRONMENTS
- DIRT STAYS ON THE OUTSIDE: ADJUSTABLE WRIST TIGHTENING

LEAK TIGHTNESS COMFORT DURABILITY DESTRICT DURABILITY

WETCUT03-EVOLUTION: Handling and assembly

- VERY GOOD CUT RESISTANCE
- GRIP IN WET ENVIRONMENTS
- DIRT STAYS ON THE OUTSIDE: ADJUSTABLE WRIST TIGHTENING



SIZES: 7 TO 12

COMPOSITION:

Grain leather, Skinsoft, high tenacity polyethylene, polyamide, polyester



SIZES: 7 TO 12

COMPOSITION:

Grain leather, Skinsoft, mineral fibres, polyamide, polyester



WETCUT03M-EVO: Handling and assembly

- VERY GOOD CUT RESISTANCE
- GRIP IN WET ENVIRONMENTS
- EXTENDED WRIST PROTECTION



WETCUT05-EVOLUTION: Handling and assembly

- MAXIMUM CUT RESISTANCE (31.4 N)
- GRIP IN WET ENVIRONMENTS
- DIRT STAYS ON THE OUTSIDE: ADJUSTABLE WRIST TIGHTENING



SIZES: 7 TO 12

COMPOSITION:

Grain leather, Skinsoft, high tenacity polyethylene, polyamide, polyester



SIZES: 7 TO 12

COMPOSITION:

Grain leather, Skinsoft, mineral fibres, high tenacity polyethylene, polyamide, polyester



CONTROL



SPEEDNET: Paint handling and surface cleaning

- LEAVES SURFACES CLEAN AND FREE OF MARKS
 DOES NOT FLUFF
- IMPROVED PERFORMANCES AFTER WASHING



SIZES: 6 TO 11 COMPOSITION: Microfibre

TN27NS: Clean room operations

- DOES NOT FLUFFECO-DESIGNED



SIZES: 6 TO 10 COMPOSITION: Polyamide



CONTROL



3 SKINPRO: Maintenance operations

- ULTRA LIGHTWEIGHT
- BETTER ALTERNATIVE TO DISPOSABLE GLOVES



® CANADA: Maintenance operations

- GOOD GRIP
- IDEAL FOR COLD AND WET ENVIRONMENTS UP TO 0°C
- EXTREMELY SOFT ON THE SKIN



SIZES: 7 TO 11 COMPOSITION: Polyurethane, polyester



SIZES: 6 TO 11 COMPOSITION: Nitrile, acrylic










MECANO: Drainage operations

- AMBIDEXTROUS
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES
- OIL RESISTANT



SIZES: 7 AND 9 COMPOSITION: Nitrile









PRODUCE

- **80.** B7VERD
- 80. PROFUSION-1
- **80.** HEATRESIST
- 80. MB30/750BC

PROCESS

- 81. BLACKNIT
- 81. BLACKTOP
- 81. LIGHT-WELD
- 82. ERGOMASTER
- 82. ERGOPRIMA
- 82. PRIMACUFF
- 83. TABMASTER
- 83. TABMASTER+
- 83. MASTERTSHIRT

HANDLE & CONTROL

- 84. SPEEDNET
- 84. FEELPRO
- **84.** TFI22
- 85. DURANIT-ULTRA
- 85. BLACKTACTIL
- 85. RIPEUR/CO

PRODUCE



B7VERD: Silica production and melting

- VALIDATED BY FLUE MASONS
- HIGH TEMPERATURE RESISTANCE:UP TO 800°C
- MAXIMUM CUT RESISTANCE (77.6 N)

LEAK TIGHTNESS DEXTERITY

SINGLE SIZE COMPOSITION:

Mineral fibres, silicone, cotton





HEATRESIST: Flue-mason

- WITHSTANDS CONTACT HEAT UP TO 350°C
- VERY GOOD CUT RESISTANCE



SIZES: 8 TO 11

COMPOSITION:

Para-aramid terry loop, cow split leather, wool, cotton



PROFUSION-1: Hot processing

- EXCELLENT HEAT RESISTANCE AT 500°C
- RESISTANCE TO MOLTEN METAL SPRAY
- BARRIER TO OILS AND KEEPS A GOOD GRIP



SIZES: 6 TO 12

COMPOSITION:

Cow split leather, aluminised fabric, para-aramid, mineral fibres, cotton 4x44D 444444





MB30/750BC: Flue-mason

■ WITHSTANDS CONTACT HEAT UP TO 100°C

TIGHTENING RIBBING



2016/425 MINOR RISKS

SINGLE SIZE COMPOSITION: Cotton



BLACKNIT: Shaping

- MAXIMUM CUT RESISTANCE (33.6 N)
- SUITABLE FOR OILY ENVIRONMENTS
- SOBER BLACK COLOUR, STAIN RESISTANT



BLACKTOP: Cutting

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP MAINTAINED IN GREASY ENVIRONMENTS
- VERY GOOD PERFORATION RESISTANCE



SIZES: 7 TO 11

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres



SIZES: 7 TO 11

COMPOSITION:

Cow split leather, polyurethane, high tenacity polyethylene, mineral fibres



LIGHT-WELD: Glass blower

- WELDER STANDARD
- ALLOWS PUNTY HANDLING
- GOOD CUT RESISTANCE



SIZES: 7 TO 11

COMPOSITION:

Goat leather, para-aramid, mineral fibres, cotton













ERGOMASTER: Cutting and handling operations

- VERY GOOD CUT RESISTANCE (29.3 N)
- MOVEMENT FACILITATED BY THE KNIT ERGONOMICS



ERGOPRIMA: Cutting and handling operations

- VERY GOOD CUT RESISTANCE
- MOVEMENT FACILITATED BY THE KNIT ERGONOMICS
- HIGH VISIBILITY ORANGE COLOUR



SIZES: 35 cm, 45 cm (with or without hook and loop), 60 cm (with hook and loop)

COMPOSITION:

Polyamide, high tenacity polyethylene, mineral fibres



SIZES: $35~\rm cm$, $45~\rm cm$ (with or without hook and loop), $60~\rm cm$ (with hook and loop)

COMPOSITION:

Polyamide, polyester, mineral fibres



PRIMACUFF: Cutting and handling operations

- VERY GOOD CUT RESISTANCE
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 35 cm, 45 cm (with or without hook and loop), 50 cm (with hook and loop), 60 cm (with hook and loop)



Polyamide, polyester, mineral fibres



<u>_</u>





TABMASTER: Cutting and handling operations

- VERY GOOD CUT RESISTANCE
- ADJUSTABLE TIGHTENING STRAP



SINGLE SIZE

COMPOSITION:

Polyamide, high tenacity polyethylene, mineral fibres

TABMASTER+: Cutting and handling operations

- VERY GOOD CUT RESISTANCE
- ADJUSTABLE TIGHTENING STRAP
- REINFORCED PROTECTION ON 1ST WEAR ZONE



SINGLE SIZE

2016/425 MINOR RISKS

2016/425 MINOR RISKS

COMPOSITION:

Cow split leather, polyamide, high tenacity polyethylene, mineral fibres

MASTERTSHIRT: Cutting and handling operations

- PRACTICAL: 2 IN 1
- REINFORCED PROTECTION



SIZES: M TO XXL

2016/425 MINOR RISKS

COMPOSITION:

Cotton, high tenacity polyethylene, mineral fibres



HANDLE & CONTROL



SPEEDNET: Cleaning and control

- LEAVES SURFACES CLEAN AND FREE OF MARKS
- DOES NOT FLUFF
- IMPROVED PERFORMANCES AFTER WASHING



FEELPRO: Handling operations

- ULTRA-COMFORTABLE, SECOND SKIN EFFECT
- EXCELLENT GRIP
- HIGH VISIBILITY



SIZES: 6 TO 11 COMPOSITION:

Microfibre

SIZES: 7 TO 11 COMPOSITION: Nitrile, polyamide, elasthane




TFI22: Quality control

- WASHABLE: NON-SHRINK STITCH
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 6 TO 10 COMPOSITION: Cotton



HANDLE & CONTROL



DURANIT-ULTRA: Maintenance operations

- MAXIMUM CUT RESISTANCE (40.4 N)
- SECOND SKIN EFFECT
- GRIP IN OILY CONDITIONS



BLACKTACTIL: Maintenance operations

- MAXIMUM CUT RESISTANCE (32.1 N)
- SECOND SKIN EFFECT
- COLOUR ADAPTED TO THE USE



SIZES: 6 TO 12

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elasthane





SIZES: 6 TO 12

COMPOSITION:

Polyurethane, high tenacity polyethylene, mineral fibres



RIPEUR/CO: Waste management

- MAXIMUM CUT RESISTANCE (61.4 N)
- VERY GOOD PERFORATION RESISTANCE
- BARRIER TO OILS AND KEEPS A GOOD GRIP



SIZES: 7 TO 12

COMPOSITION:

Cow split leather, stainless steel, high tenacity polyethylene, polyamide














HARVEST & RENEW

- **88.** FOREST
- 88. SEQUOIA
- **88.** EPSCPS25/12
- **88.** HMPS7BP
- 89. STRONGER
- 89. MASTERTOP
- **89.** BLACKTOP
- 89. WINTERPRO

PROCESS

- **90.** DURANIT-ULTRA
- 90. DURANIT-PLUS
- 90. BLACKSTICK30+RI
- **91.** FEELPRO
- **91.** FITXTRA
- 91. BLACKNIT

ASSEMBLE

- 92. DURANIT-ONE
- **92.** PROTECT4SHOCK
- **92.** WHITEPRO
- 93. SKINTOUCH
- 93. BLACKTACTIL

HARVEST & RENEW



FOREST: Lumberjacking

- VALIDATED BY LUMBERJACKS
- SHOCKS ABSORBED BY THE REINFORCEMENT FOAM
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY

SEQUOIA: Planting

- VALIDATED BY LANDSCAPERS
- WATER REPELLENT AND BREATHABLE BACK
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY





SIZES: 8 TO 11

COMPOSITION:

Cow split leather, goat leather, polyester Ripstop



SIZES: 7 TO 12

COMPOSITION:

Grain leather, polyester Ripstop



EPSCPS25/12: Forestry - timber handling

- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY
- GOOD PERFORATION RESISTANCE

HMPS7BP: Planting and control

- VALIDATED BY FORESTERS
- REINFORCED VEIN PROTECTION
- TIGHTENING ELASTIC AT THE WRIST





SIZES: 6 TO 12

COMPOSITION:

Cow split leather, cow grain leather 4133x





HARVEST & RENEW



STRONGER: Timber handling and cutting

- VERY GOOD CUT RESISTANCE
- LOOP TO EASILY HANG AND FIT THE GLOVES
- MAINTAINS A GOOD GRIP IN WET OR OILY ENVIRONMENTS



MASTERTOP: Timber cutting

- VERY GOOD CUT RESISTANCE (25 N)
- VERY GOOD PERFORATION RESISTANCE
- WITHSTANDS CONTACT HEAT UP TO 100°C



SIZES: 8 TO 11

COMPOSITION:

 $\label{thm:cowsplit} \mbox{Cow split leather, polyure thane, high tenacity polyethylene, mineral fibres, polyamide} \\$



SIZES: 7 TO 12

COMPOSITION:

Cow split leather, polyamide, high tenacity polyethylene, mineral fibres



BLACKTOP: Thinning, winching and rope work

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN OILY CONDITIONS
- VERY GOOD PERFORATION RESISTANCE



WINTERPRO: Forestry - work in cold and wet environments

- WITHSTANDS COLD UP TO -10°C
- FULL HAND PROTECTION
- GOOD TOOL GRIP



SIZES: 7 TO 11

COMPOSITION:

 $\label{lem:cowsplit} \text{Cow split leather, polyure thane, high tenacity polyethylene, mineral fibres}$



SIZES: 7 TO 11 COMPOSITION: Nitrile, acrylic









DURANIT-ULTRA: Carpenter, joiner, cabinet maker

- MAXIMUM CUT RESISTANCE (40.4 N)
- SECOND SKIN EFFECT
- GRIP IN OILY CONDITIONS



DURANIT-PLUS: Carpenter, joiner, cabinet maker

- VERY GOOD CUT RESISTANCE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elasthane





SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane





BLACKSTICK30+RI: Sanding and edging operations

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN OILY CONDITIONS
- HOT PART HANDLING UP TO 100°C



SIZES: 7 TO 11

COMPOSITION:

Cow split leather, polyurethane, high tenacity polyethylene, mineral fibres







FEELPRO: Folding, packaging operations

- ULTRA-COMFORTABLE, SECOND SKIN EFFECT
- EXCELLENT GRIP
- HIGH VISIBILITY



FITXTRA: Laminating and printing operations

- SMALL CUT RESISTANCE SECOND SKIN EFFECT
- COOL SENSATION



SIZES: 7 TO 11 COMPOSITION:

Nitrile, polyamide, elasthane





SIZES: 6 TO 11

COMPOSITION:

Polyurethane, high tenacity polyethylene, polyamide





- MAXIMUM CUT RESISTANCE (33.6 N)
- SUITABLE FOR OILY ENVIRONMENTS
- STAIN RESISTANT BLACK COLOUR



SIZES: 7 TO 11

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres





ASSEMBLE



DURANIT-ONE: Machining and assembly operations

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS

PROTECT4SHOCK: Carpenter, builder, fitter installations

- REINFORCED PROTECTION IN SHOCK ZONES (D30®)
- OPTIMISED DEXTERITY





2016/425 MINOR RISKS

SIZES: 6 TO 12 COMPOSITION:

Nitrile, polyamide, elasthane





SIZES: 7 TO 10

COMPOSITION:

Metis leather, polyester, D30®

WHITEPRO: Framer and gilder

- BETTER ALTERNATIVE TO DISPOSABLE GLOVES
- WHITE GLOVE TO WORK WITHOUT LEAVING MARKS
- ULTRA LIGHTWEIGHT



SIZES: 7 TO 11 COMPOSITION: Polyurethane, polyester





ASSEMBLE



SKINTOUCH: Marquetry specialist

- OPTIMUM DEXTERITY
- STAIN RESISTANT SOBER BLACK COLOUR
- ULTRA LIGHTWEIGHT



3 BLACKTACTIL: Joinery operations

- MAXIMUM CUT RESISTANCE (32.1 N)
- SECOND SKIN EFFECT
- SOBER BLACK COLOUR, STAIN RESISTANT



SIZES: 6 TO 12 COMPOSITION: Polyurethane, nylon



SIZES: 6 TO 12 COMPOSITION:


Polyurethane, high tenacity polyethylene, mineral fibres













PROSOUD/1: Production and boiler work operations (up to 100°C)

- OIL BARRIER: OIL-PROOFED LEATHER
- VERY GOOD CUT RESISTANCE (24.9 N)
- RESISTANCE TO MOLTEN METAL SPRAY



SIZES: 6 TO 12

COMPOSITION:

Cow split leather, para-aramid, mineral fibres, cotton, polyester 4443E 413244

• WITHSTANDS CONTACT HEAT UP TO 350°C

■ VERY GOOD CUT RESISTANCE (24.8 N)

OIL BARRIER: OIL-PROOFED LEATHER

EN388





Para-aramid, cow split leather, cotton

SIZES: 7 TO 10

COMPOSITION:

EN388



LEAK TIGHTNESS

DEXTERITY

HEATRESIST: Production and sheet metal work operations

■ WITHSTANDS CONTACT HEAT UP TO 350°C

■ WITHSTANDS CONTACT HEAT UP TO 250°C

■ VERY GOOD CUT RESISTANCE

■ VERY GOOD CUT RESISTANCE

LEAK TIGHTNESS

COMFORT

PROTRI-1: Production and sheet metal work operations

SIZES: 8 TO 11

COMPOSITION:

Cow split leather, para-aramid, mineral fibres, cotton



DEXTERITY



LEAK TIGHTNESS DEXTERITY

SIZES: 8 TO 11

COMPOSITION:

Para-aramid terry loop, cow split leather, wool, cotton









DURANIT-PLUS: Stratifier, draper and die operator

- VERY GOOD CUT RESISTANCE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



DURANIT-ULTRA: Stratifier, draper and die operator

- MAXIMUM CUT RESISTANCE (40.4 N)
- SECOND SKIN EFFECT
- GRIP IN OILY CONDITIONS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane







EN407

SIZES: 6 TO 12 COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elasthane



TAKECARE: Production operations

- GOOD CUT RESISTANCE
- DURABILITY STRENGTHENED BY 50%
- WITHSTANDS CONTACT HEAT UP TO 100°C

BLACKTACTIL: Production operations

- MAXIMUM CUT RESISTANCE (32.1 N)
- SECOND SKIN EFFECT
- COLOUR ADAPTED TO THE USE



SIZES: 6 TO 11

COMPOSITION:

Polyurethane, high tenacity polyethylene, polyamide, elasthane





SIZES: 6 TO 12

COMPOSITION:

Polyurethane, high tenacity polyethylene, mineral fibres



DEXTERITY

COMFORT

TOP SALES



ERGOMASTER: Production operations

- VERY GOOD CUT RESISTANCE (29.3N)
- MOVEMENT FACILITATED BY THE KNIT ERGONOMICS



ERGOPRIMA: Production operations

- VERY GOOD CUT RESISTANCE
- MOVEMENT FACILITATED BY THE KNIT ERGONOMICS
- HIGH VISIBILITY ORANGE COLOUR



SIZES: 35 cm, 45 cm (with or without hook and loop), 60 cm (with hook and loop)

COMPOSITION:

Polyamide, high tenacity polyethylene, mineral fibres



SIZES: 35 cm, 45 cm (with or without hook and loop), 60 cm (with hook and loop)

COMPOSITION:

Polyamide, polyester, mineral fibres



PRIMACUFF: Production operations

- VERY GOOD CUT RESISTANCE
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 35 cm, 45 cm (with or without hook and loop), 50 cm (with hook and loop), 60 cm (with hook and loop)



Polyamide, polyester, mineral fibres







TABMASTER: Production operations

- VERY GOOD CUT RESISTANCE
- ADJUSTABLE TIGHTENING STRAP



SINGLE SIZE

COMPOSITION:

Polyamide, high tenacity polyethylene, mineral fibres

TABMASTER+: Production operations

- VERY GOOD CUT RESISTANCE
- ADJUSTABLE TIGHTENING STRAP
- REINFORCED PROTECTION ON 1ST WEAR ZONE



SINGLE SIZE

2016/425 MINOR RISKS

2016/425 MINOR RISKS

2016/425 MINOR RISKS

COMPOSITION:

 $\label{lem:cowsplit} \mbox{Cow split leather, polyamide, high tenacity polyethylene, mineral fibres}$

MASTERTSHIRT: Production operations

- PRACTICAL: 2 IN 1
- REINFORCED PROTECTION



SIZES: M TO XXL

COMPOSITION:

Cotton, high tenacity polyethylene, mineral fibres



ASSEMBLE



TAKECARE: PVC Joiner

- GOOD CUT RESISTANCE
- DURABILITY STRENGTHENED BY 50%
- WITHSTANDS CONTACT HEAT UP TO 100°C

3 BLACKTACTIL: PVC Joiner

- MAXIMUM CUT RESISTANCE (32.1 N)
- SECOND SKIN EFFECT
- COLOUR ADAPTED TO THE USE





SIZES: 6 TO 11

COMPOSITION:

Polyurethane, high tenacity polyethylene, polyamide, elasthane





SIZES: 6 TO 12

COMPOSITION:

Polyurethane, high tenacity polyethylene, mineral fibres



FITXTRA: PVC Joiner

- SMALL CUT RESISTANCE
- SECOND SKIN EFFECT
- COOL SENSATION



SIZES: 6 TO 11

COMPOSITION:

Polyurethane, high tenacity polyethylene, polyamide





ASSEMBLE



FIT4PROTOUCH: Handling of electronic parts

- USABLE IN **ELECTROSTATIC** environments
- HIGH VISIBILITY
- SMALL CUT RESISTANCE



SILINOSTICK: Composite handling

- THE PLASTIC DOES NOT STICK TO THE GLOVE
- MAXIMUM CUT RESISTANCE (37.5 N)
- HIGH VISIBILITY



2016/425 MINOR RISKS

SIZES: 6 TO 11


COMPOSITION:

Polyurethane, high tenacity polyethylene, carbon



SIZES: 7 TO 11 COMPOSITION:

Silicone, polyester, para-aramid, mineral fibres, cotton



HANDLE & CONTROL



3 DURANIT-PLUS: Handling operations cutting parts

- VERY GOOD CUT RESISTANCE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



CANADA: Handling operations

- GOOD GRIP
- IDEAL FOR COLD AND WET ENVIRONMENTS UP TO 0°C
- EXTREMELY SOFT ON THE SKIN



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane 4x42D x1xxxx















TOP SALES

DURANIT-ONE: Handling operations

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS

FEELPRO: Handling operations - lightweight parts

- ULTRA-COMFORTABLE, SECOND SKIN EFFECT
- EXCELLENT GRIP
- HIGH VISIBILITY





SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, elasthane





SIZES: 7 TO 11 COMPOSITION:

Nitrile, polyamide, elasthane



HANDLE & CONTROL



BACKPROTECT: Handling operations for heavy and cumbersome loads

- PROTECTS FROM HAND CRUSHING RISKS
- STANDARDISED SHOCK PROTECTION ON THE BACK OF THE HAND
- GOOD GRIP



SIZES: 8 TO 10

COMPOSITION:

Natural latex, polyamide, cotton



SPEEDNET: Quality control

- LEAVES SURFACES CLEAN AND FREE OF MARKS
- DOES NOT FLUFF
- IMPROVED PERFORMANCES AFTER WASHING



SIZES: 6 TO 11 COMPOSITION: Microfibre

BLACKTACTIL/0: Quality control

- MAXIMUM CUT RESISTANCE (28.2 N)
- SECOND SKIN EFFECT
- COLOUR ADAPTED TO THE USE



SIZES: 6 TO 11


COMPOSITION:

High tenacity polyethylene, mineral fibres









EXTRACT



FEELPRO: Machinery operator

- ULTRA-COMFORTABLE, SECOND SKIN EFFECT
- EXCELLENT GRIP
- HIGH VISIBILITY



MAXIPRO: Machinery operator in wet weather

- FULL HAND PROTECTION
- EXCELLENT GRIP
- WATER AND GREASE RESISTANT



SIZES: 7 TO 11

COMPOSITION:

Nitrile, polyamide, elasthane





SIZES: 8 TO 11 COMPOSITION: Nitrile, polyamide



CANADA: Machinery operator in wet weather and cold weather (up to 0°C)

- GOOD GRIP
- EXTREMELY SOFT ON THE SKIN



WINTERPRO: Machinery operator in cold and wet weather (up to -10°C)

- FULL HAND PROTECTION
- GOOD TOOL GRIP



SIZES: 6 TO 11 COMPOSITION: Nitrile, acrylic



EN511





SIZES: 7 TO 11 COMPOSITION: Nitrile, acrylic







DEMOLISH



RESCUEPRO: Heavy load handling

- MAXIMUM RESISTANCE TO MECHANICAL RISKS
- STANDARD SHOCK PROTECTION
- LOOP TO EASILY HANG AND FIT THE GLOVES



TAKECARE: Heavy load handling - screening

- GOOD CUT RESISTANCE
- DURABILITY STRENGTHENED BY 50%
- WITHSTANDS CONTACT HEAT UP TO 100°C



SIZES: 8 TO 11

COMPOSITION: High tenacity polyethylene, mineral fibres, polyurethane, cow split leather, D30®, thermoplastic



SIZES: 6 TO 11

COMPOSITION:

Polyurethane, high tenacity polyethylene, polyamide, elasthane





BACKPROTECT: Quarries and large object transport

- PROTECTS FROM HAND CRUSHING RISKS
- STANDARDISED SHOCK PROTECTION ON THE BACK OF THE HAND
- GOOD GRIP



SIZES: 8 TO 10 COMPOSITION:

Natural latex, polyamide, cotton



VIBRAPROTECT: Use of vibration devices, perforators, pneumatic drills

- VALIDATED BY PUBLIC WORKS PROFESSIONALS
- STANDARDISED VIBRATION ABSORPTION
- OPTIMISED ERGONOMICS FOR INTENSIVE WORK



SIZES: 8 TO 11

COMPOSITION:

Foamed latex, polyester, cotton





BUILD



MACPRO: Masonry and cladding

- VALIDATED BY MASONS
- EXCELLENT TOOL GRIP
- CLOSURE ADJUSTABLE AT THE WRIST



DURANIT-ONE: Handling operations

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



SIZES: 8 TO 11

COMPOSITION:

Latex, high tenacity polyethylene, mineral fibres



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, elasthane



BLACKSTICK+: Heavy and abrasive load handling

MAXIMUM CUT RESISTANCE (32.1 N)

• GRIP IN OILY CONDITIONS



1 DURANIT-ULTRA: Roofer

- MAXIMUM CUT RESISTANCE (40.4 N)
- SECOND SKIN EFFECT
- GRIP IN OILY CONDITIONS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elasthane



SIZES: 7 TO 11

COMPOSITION:

High tenacity polyethylene, polyurethane, cow split leather, mineral fibres





BUILD



® COLDPRO: Stone-work in cold weather

- WITHSTANDS COLD UP TO -10°C
- EXCELLENT GRIP
- VISIBLE COLOUR



MIDSEASON: Stone-work in wet and cold weather (up to 0°C)

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- PLEASANT SKIN CONTACT
- IDEAL FOR COLD AND WET ENVIRONMENTS (UP TO 0°C)



SIZES: 8 TO 11 COMPOSITION: Latex, acrylic





SIZES: 7 TO 12 COMPOSITION: Nitrile, acrylic





LIQUIDO: Preparation and facade specialist

- GOOD GRIP
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES
- FOREARM PROTECTION (35 CM)



SIZES: 7 TO 10 COMPOSITION: Nitrile, polyester



© GRIPRO: Stone work

- EXCELLENT GRIP
- VISIBLE COLOUR



SIZES: 8 TO 11 COMPOSITION: Latex, polycotton



WORK



© CARPRO: Tiler

- VALIDATED BY TILERS
- PERFECT FOR GROUTING
- CLOSURE ADJUSTABLE AT THE WRIST

LEAK TIGHTNESS DEXTERITY

SIZES: 8 TO 11 COMPOSITION: Nitrile, polyester



DURANIT-ONE: Floorer - carpet layer

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



SIZES: 6 TO 12 COMPOSITION:

Nitrile, polyamide, elasthane



WHITEPRO: Paint and plasterer

- WHITE GLOVE TO WORK WITHOUT LEAVING MARKS
- ULTRA LIGHTWEIGHT
- BETTER ALTERNATIVE TO DISPOSABLE GLOVES



SIZES: 7 TO 11 COMPOSITION:

Polyurethane, polyester

EN388 <u>d</u>=

DURANIT-PLUS: Plaster board specialist, staffer and plasterer

- VERY GOOD CUT RESISTANCE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



SIZES: 6 TO 12

COMPOSITION:

Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane 4X42D X1XXXX



O

WORK







NICE AND WARM FOR THE WELL-BEING OF ITS EMPLOYEES!

All the know-how **ROSTAING** for innovating heated glove technology! A solution for professionals: economic, ecological & societal.

ROSTAING GOES EVEN FURTHER WITH ITS ULTRA-EFFECTIVE HEATING TECHNOLOGY



Everyone is different:

Multifunction ON/OFF button with several heating intensities available using the button located on the battery.



Extremities are more vulnerable:

An innovating heating patch (created by Rostaing) for optimised heating of the most exposed zones.



Savings and ecology are everybody's problem:

Offset electronic system and technical materials for longer service life.



SOCIETAL:

Taking care of employees means getting all the chances to: recruit them, keep them, involve them and value them.



ECOLOGICAL:

No electronics in the glove. It is offset in a module that includes the intelligence and the battery. Only replace what is worn.



ECONOMIC:

Invest in a comfortable and durable solution!
Only replace the gloves at the end of their service life.

*Cost effective solution: the intelligence can be deployed as a collective measure.





MAXGRIP: Handling and fork lifter driver in positive cold environments

- EXCELLENT GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- ECONOMIC, ECOLOGICAL: AMBIDEXTROUS DESIGN



SIZES: 7 AND 9 COMPOSITION: Acrylic, silicone

2016/425 MINOR RISKS

CANADA: Handling and fork lifter driver in positive cold environments

- GOOD GRIP
- IDEAL FOR COLD AND WET ENVIRONMENTS UP TO 0°C
- **EXTREMELY SOFT ON THE SKIN**



SIZES: 6 TO 11 COMPOSITION: Nitrile, acrylic









WINTERPRO: Handling and fork lifter driver in negative cold environments -10°C

- FULL HAND PROTECTION
- GOOD GRIP



SIZES: 7 TO 11 COMPOSITION: Nitrile, acrylic









BLUE-ICE: Handling and fork lifter driver in negative cold environments -30°C

- INCREASED SERVICE LIFE THANKS TO THE PALM REINFORCEMENT
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- GOOD CUT RESISTANCE



SIZES: 7 TO 11 COMPOSITION:

Cow split leather, wool, cotton







SPEEDNET: Warehouse operator and fork lift driver - fragile products

- LEAVES SURFACES CLEAN AND FREE OF MARKS
- DOES NOT FLUFF
- IMPROVED PERFORMANCES AFTER WASHING



ZPP25: Warehouse operative and fork lift driver - liner glove

- INSULATES FROM NEGATIVE COLD (-5°C)
- USED AS A LINER GLOVE IT INCREASES COMFORT
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



SIZES: 6 TO 11

COMPOSITION:

Microfibre

SIZES: 6 TO 11 2016/425 MINOR RISKS COMPOSITION:

Polypropylene, elasthane

EPS7BPA: Warehouse operator and fork lift driver - temperate environment

- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY
- REINFORCED VEIN PROTECTION
- TIGHTENING ELASTIC AT THE WRIST



BACKPROTECT: Warehouse operator and fork lift driver - bulky products

- PROTECTS FROM HAND CRUSHING RISKS
- STANDARDISED SHOCK PROTECTION ON THE BACK OF THE HAND
- GOOD GRIP



SIZES: 6 TO 11 COMPOSITION: Goat leather



SIZES: 8 TO 10 COMPOSITION: Natural latex, polyamide, cotton





BLACKTACTILTOUCH: Handling and warehouse operative in a dry environment

- MAXIMUM CUT RESISTANCE (32.1 N)
- SOBER, STAIN RESISTANT BLACK COLOUR
- SECOND SKIN EFFECT



SIZES: 6 TO 12

COMPOSITION:

Polyurethane, high tenacity polyethylene, mineral fibres



FEELPRO: Handling and warehouse operative in a dry environment

- ULTRA-COMFORTABLE, SECOND SKIN EFFECT
- EXCELLENT GRIP



SIZES: 7 TO 11

COMPOSITION:

Nitrile, polyamide, elasthane





FIT4PROTOUCH: Handling and warehouse operative in a dry environment

- USABLE IN **ELECTROSTATIC** ENVIRONMENTS
- VISIBLE COLOUR
- SMALL CUT RESISTANCE



SIZES: 6 TO 11

COMPOSITION:

Polyurethane, high tenacity polyethylene, carbon







DURANIT-ULTRA: Use of banding machines

- MAXIMUM CUT RESISTANCE (40.4 N)
- SECOND SKIN EFFECT
- GRIP IN OILY CONDITIONS



DURANIT-PLUS: Use of banding machines

- VERY GOOD CUT RESISTANCE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



SIZES: 7 TO 11

COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elasthane



SIZES: 7 TO 11

COMPOSITION:

Nitrile, polyamide, high tenacity polyethylene, mineral fibres, elasthane







3 DURANIT-ONE: Warehouse operator, fork lift driver - greasy environment

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



SIZES: 7 TO 11 COMPOSITION:

Nitrile, polyamide, elasthane









TRANSPORT



FEELPRO: Driver, delivery driver - temperate environment

- ULTRA-COMFORTABLE, SECOND SKIN EFFECT
- EXCELLENT GRIP



CANADA: Driver, delivery driver - wet and positive cold environment

- GOOD GRIP
- IDEAL FOR COLD AND WET ENVIRONMENTS UP TO 0°C
- **EXTREMELY SOFT ON THE SKIN**



SIZES: 7 TO 11

COMPOSITION:

Nitrile, polyamide, elasthane





SIZES: 6 TO 11 COMPOSITION:











DURANIT-ONE: Metro and urban train driver

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



SIZES: 7 TO 11 COMPOSITION:

Nitrile, polyamide, elasthane



FITXTRA: Driver, delivery driver - temperate environment

- SMALL CUT RESISTANCE
- SECOND SKIN EFFECT
- COOL SENSATION



SIZES: 6 TO 11

COMPOSITION:

Polyurethane, high tenacity polyethylene, polyamide



TRANSPORT



SPEEDER1KP: Motorcycle delivery

- MOTORCYCLE STANDARDS
- EXCELLENT HANDLEBAR GRIP
- FLEXIBLE D30® PROTECTION SHELLS

LEAK TIGHTNESS COMFORT DURABILITY

PROTECT4SHOCK: Bicycle delivery

- D30® FOAM PALM REINFORCEMENT
- COMFORT AND FLEXIBILITY OF THE PALM THANKS TO THE LEATHER
- EASY TO REMOVE: PULLING TABS



SIZES: 6 TO 12

COMPOSITION:

Goat leather, silicone amara, polyester





SIZES: 7 TO 10

2016/425 MINOR RISKS


COMPOSITION:

Metis leather, polyester, D30®





COORDINATE



FAUVE: Station master and control

- TOP END LEATHER
- EXTREME FLEXIBILITY
- DISCRETE COLOUR

GP-INTER: Station master and control

- GOOD CUT RESISTANCE
- TOWN GLOVE APPEARANCE
- WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY





SIZES: 6 TO 12 COMPOSITION: Lamb leather, silk

2016/425 MINOR RISKS

SIZES: 6 TO 11

COMPOSITION:

Goat leather, cotton, mineral fibres, para-aramid, high tenacity polyethylene





HANDLE & CONTROL



BACKPROTECT: Maintenance and handling

of gas canisters

- PROTECTS FROM HAND CRUSHING RISKS
- STANDARDISED SHOCK PROTECTION ON THE BACK OF THE HAND
- GOOD GRIP



3 DURANIT-ONE: Fine maintenance

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



SIZES: 8 TO 10

COMPOSITION:

Natural latex, polyamide, cotton



SIZES: 7 TO 11

COMPOSITION:

Nitrile, polyamide, elasthane





FIT4PROTOUCH: Maintenance of electric bicycles and push scooters

- USABLE IN **ELECTROSTATIC** environments
- VISIBLE COLOUR
- SMALL CUT RESISTANCE



SIZES: 6 TO 11

COMPOSITION:

Polyurethane, high tenacity polyethylene, carbon







GROW UP, LEARN AND PLAY



OUTDOOR

LEISURE

127. LISON

127. PROSPER

127. EUGENE

SMALL

GARDENING JOBS

128. GASTON

128. MARGOT

CREATIVE LEISURE

129. ANABEL

129. AXEL

129. ARTHUR

WORKS LIKE GROWN-UPS

143. MAXTEEN.F

143. MAXTEEN.G

LEISURE

157. SPEEDER1KP

162. COCOON.ENF

THE ZAMIS CONCEPT





OUTDOOR LEISURE



UISON: Gardening and games - temperate environment

- EXCELLENT GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- ECO-DESIGNED: MADE FROM RECYCLED MATERIALS



SIZES: 4-6 YEAR-OLD AND 6-8 YEAR-OLD 2016/425 MINOR RISKS

COMPOSITION:

Latex, recycled polyester

PROSPER: Push scooter, bicycle - cold environment

- GOOD GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- SOFT!



SIZES: 3-6 YEAR-OLD COMPOSITION: Polyester, elasthane

2016/425 MINOR RISKS

3 EUGENE: Gardening and games - cold and wet environment

- FOR MID-SEASON LEISURE (0 TO 15 °C)
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- EXTREMELY SOFT ON THE SKIN



SIZES: 4-6 YEAR-OLD AND 6-8 YEAR-OLD COMPOSITION:

2016/425 MINOR RISKS

Nitrile, acrylic



SMALL GARDENING JOBS



GASTON: Planting & weeding

- LEASH LIKE SKIERS TO STOP LOSING GLOVES

MARGOT: Planting & weeding

- GOOD GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES



SIZES: 4-6 YEAR-OLD AND 6-8 YEAR-OLD COMPOSITION:

2016/425 MINOR RISKS

Latex, polyamide



SIZES: 4-6 YEAR-OLD AND 6-8 YEAR-OLD 2016/425 MINOR RISKS COMPOSITION:

Latex, polyamide



CREATIVE LEISURE



ANABEL: Gardening and games

- SUITABLE FOR ALL LEISURE ACTIVITIES
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- GRIP ADAPTED TO ALL OBJECTS



2016/425 MINOR RISKS

SIZES: 3-4 YEAR-OLD AND 5-6 YEAR-OLD

COMPOSITION:

Polyamide

AXEL: Gardening and games

- SUITABLE FOR ALL LEISURE ACTIVITIES
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- GRIP ADAPTED TO ALL OBJECTS



SIZES: 3-4 YEAR-OLD AND 5-6 YEAR-OLD COMPOSITION:

2016/425 MINOR RISKS

Polyamide

ARTHUR: Cleaning, painting, cooking

- EXTENDED FOREARM PROTECTION
- MIXED
- NON-SLIP PALM



SIZES: 5-7 YEAR-OLD 2016/425 MINOR RISKS COMPOSITION:

Latex







REPOTTING & WEEDING

133. NUDE **133.** ROOTS

PRUNING

134. ONE4ALL

134. BOHO

134. MISS

134. MISTER

HANDLE SMALL **THORNY PLANTS**

135. PROTECT 135. PROTECTMAX

PLANTING

136. FLOWER

136. VISIBLE

137. MAXIMA.F

137. MAXIMA.H

137. TRADITION

138. JEAN

138. FRENCHIE

GARDEN MAINTENANCE

140. SOULDIER.F

140. SOULDIER.H

WORKING **WOOD &** STONE

141. DENIM

141. T.DENIM

PRECISION WORK

143. MAXTEEN.F

143. MAXTEEN.G

144. MAXFEEL

144. MAXTOP

HEAVY WORK

146. MAXSTRONG.F

146. MAXSTRONG.H

MID-SEASON WORK

147. CANADA

147. MAXGRIP

MULTI-PURPOSE

149. PLANT

149. BASIC

149. FUSHIA

149. NERINE

150. WORK

150. CONTACT

150. DRYFEEL

151. WGB

151. CHALEUR

152. WETPRO

152. LIQUIDO

152. ENTRETIEN

152. MECANO

GARDEN CONCEPT



GARDEN is a product line that began in 2019. Acclaimed for its quality and trendy look and designed using psycho-graphic criteria, take the test to see which glove is for you!

REPOTTING & WEEDING



® NUDE: All small gardening jobs

- WELL-BEING WITH EUCALYPTUS ESSENTIAL OILS
- 90% NATURAL: BAMBOO FIBRES
- EXTREMELY SOFT ON THE SKIN



SIZES: 6 TO 8
COMPOSITION:
Latex, bamboo fibres





- TRENDY: NATURE AND UNISEX LOOK
- STAINS ARE NOT VISIBLE
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



SIZES: 7 TO 11 COMPOSITION: Nitrile, polyamide







Surprise your customers with the NUDE glove which offers an **innovating olfactory experience**.

Eucalyptus globulus essential oil microcapsules are included in the glove coating.

Handle, smell and let yourself bathe in the **delicate fragrance** which will last as long as the glove.

PRUNING



ONE4ALL: Pruning, planting, weeding

- •WEAR INDICATOR IN THE COMPARTMENT
- PALM AND FINGER PROTECTION
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES

LEAK TIGHTNESS COMFORT DURABILITY DURABILITY

SIZES: 7 TO 11 COMPOSITION: Nitrile, polyamide



BOHO: Pruning, planting, weeding

- 90% NATURAL: BAMBOO FIBRES
- EXTREMELY SOFT SKIN CONTACT
- GRIP ADAPTED TO ALL TOOLS



SIZES: 6 TO 8
COMPOSITION:
Latex, bamboo fibres



MISS Pruning, planting, weeding

- FULL PROTECTION
- TRENDY LOOK
- STAYS CLEAN: STAIN TREATMENT



SIZES: 6 TO 8 COMPOSITION: Goat leather, Skinsoft



MISTER: Pruning, planting, weeding

- FULL PROTECTION
- TRENDY LOOK
- STAYS CLEAN: STAIN TREATMENT



SIZES: 8 TO 10 COMPOSITION: Goat leather, Skinsoft



HANDLING SMALL THORNY PLANTS



PROTECT: Pruning, rose and small thorny bush planting

- THE THICK LATEX PROTECTS FROM SMALL THORNS
- EXCELLENT SHEAR GRIP
- THE THORNS DO NOT GET STUCK IN THE WOVEN SUPPORT

PROTECTMAX: Pruning, rose and small thorny bush planting

- THE THICK LATEX PROTECTS FROM SMALL THORNS
- EXCELLENT SHEAR GRIP
- EXTENDED FOREARM PROTECTION





SIZES: 6 TO 10 COMPOSITION: Latex, cotton













FLOWER: Planting, weeding, watering

- STAYS WHITE!: PERFECTLY WASHABLE ECOLOGICAL: COLOURING-FREE LATEX
- PERFECT TOOL GRIP

® VISIBLE: Planting, weeding, watering GOOD TOOL GRIP BRIGHT COLOUR TO FIND THE GLOVES QUICKLY ■ PALM AND FINGER PROTECTION





SIZES: 6 TO 8 COMPOSITION: Latex,, polyester, bamboo



SIZES: 8 TO 11 COMPOSITION: Latex, polyester







MAXIMA.F: Planting, weeding, watering

- FULL PROTECTION
- SUITABLE FOR INTENSE PLANTING WORK
- CLOSURE ADJUSTABLE AT THE WRIST



SIZES: 7 AND 8
COMPOSITION:
Nitrile, polyamide



3 MAXIMA.H: Planting, weeding, watering

- FULL PROTECTION
- SUITABLE FOR INTENSE PLANTING WORK
- CLOSURE ADJUSTABLE AT THE WRIST



SIZES: 8 TO 10 COMPOSITION: Nitrile, polyamide



1 TRADITION: Planting, digging

- FULL HAND PROTECTION
- EXTENDED WRIST PROTECTION
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY











JEAN: All gardening jobs

- OVER-CYCLED GLOVE: RECYCLING OF LEATHER AND DENIM SCRAPS
- FRENCH PRODUCTION AND KNOW-HOW
- ORGANIC COTTON JEAN



FRENCHIE: Planting, digging

- FRENCH PRODUCTION AND KNOW-HOW
- LIMITED EDITION: UNIQUE MODEL!



SIZES: 6 TO 10 COMPOSITION:

Jean 1083, cow split leather



SIZES: 6 TO 10 COMPOSITION: Cow grain leather

2016/425 MINOR RISKS



FRENCH MANUFACTURING ACCORDING TO **ROSTAING**





Live in your age!

choose "JEAN" the 1st French over-cycled glove, on your shelves soon

The best waste is the one we don't produce

MAINTAINING THE GARDEN



SOULDIER.F: Handling hedge trimmers and lawnmowers

- VERSATILE AND WATER REPELLENT ON THE BACK
- CLOSURE ADJUSTABLE AT THE WRIST
- 2X MORE DURABLE: REINFORCED 1ST WEAR ZONE



SOULDIER.H: Handling hedge trimmers and lawnmowers

- VERSATILE AND WATER REPELLENT ON THE BACK
- CLOSURE ADJUSTABLE AT THE WRIST
- 2X MORE DURABLE: REINFORCED 1ST WEAR ZONE



SIZES: 6 TO 8 COMPOSITION:

Polyester microfibre, silicone, polyamide



SIZES: 8 TO 10

COMPOSITION:

Polyester microfibre, silicone, polyamide





WOODWORKING & STONE WORKING



DENIM/ Wood and stone working

- REINFORCED FULL PROTECTION
- VERY POPULAR: DENIM LOOK
- PERFECT TOOL GRIP



SIZES: 7 TO 11 COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres



T.DENIM: Picking and gardening work

- VALIDATED BY FLORISTS
- POCKETS TO HOLD TOOLS
- ADAPTED TO ALL SIZES: ADJUSTABLE STRAP



SINGLE SIZE COMPOSITION:

Organic cotton denim



TOUCH CONCEPT



Touch screen compatible gloves that protect ALL uses



PRECISION WORK



MAXTEEN.F: Pruning, sanding, painting

- SECOND SKIN EFFECT
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- CHILDREN LOVE IT: SPORTY AND PUNCHY LOOK



SIZE: 5 COMPOSITION: Nitrile, polyamide



13 MAXTEEN.G: Pruning, sanding, painting

- SECOND SKIN EFFECT
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- CHILDREN LOVE IT: SPORTY AND PUNCHY LOOK



SIZE: 5 COMPOSITION: Nitrile, polyamide





PRECISION WORK



MAXFEEL: Pruning, sanding, painting

- SECOND SKIN EFFECT
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- PUNCHY LOOK FOR WOMEN AND SOBER FOR MEN

LEAK TIGHTNESS COMFORT DURABILIT COMFORT

SIZES: 7-8 AND 9-10 COMPOSITION: Nitrile, polyamide



MAXTOP: Pruning, sanding, painting

- LIQUID BARRIER ON THE PALMS AND FINGERS
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- EXTENDED FINGER PROTECTION



SIZES: 7 TO 12 COMPOSITION: Nitrile, polyamide





PRECISION WORK



HEAVY WORK



MAXSTRONG.F: Wood and stone working

- COOL SENSATION
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- FULL PROTECTION FOR HEAVY WORK



SIZES: 6 TO 8 COMPOSITION: Nitrile, high tenacity polyethylene



MAXSTRONG.H: Wood and stone working

- COOL SENSATION
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- FULL PROTECTION FOR HEAVY WORK



SIZES: 8 TO 10 COMPOSITION: Nitrile, high tenacity polyethylene





OUR TOUCH LINE

The biggest glove market, non-wearers are the majority. Our duty: to convince people to protect their hands because in France there is an accident involving the hands every 4 minutes.

We investigated the reasons:

- "We can't feel what we're doing"
- "We take them off (to shake hands, use screens...)"
- "We sweat"

As a result, we launched the Touch line in 2016 according to the following criteria:

- Thin and breathable materials (cooling thread, aerated coating...)
 A leash: to stop losing them or store them better
- The touch function to avoid taking them off



MID-SEASON WORK



3 CANADA: Outdoor maintenance (0 to 15°C)

- GOOD GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- EXTREMELY SOFT ON THE SKIN

MAXGRIP: All handling jobs, handle tools (0 to 15°C)

- EXCELLENT GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- ECONOMIC, ECOLOGICAL: AMBIDEXTROUS DESIGN





SIZES: 6 TO 11 COMPOSITION: Nitrile, acrylic







SIZES: 7 AND 9 COMPOSITION: Acrylic, silicone

2016/425 MINOR RISKS



4 IN 1 CONCEPT





PLANT: Planting, watering, handle tools, handling

- SECOND SKIN EFFECT
- RESISTANCE TO WATER SPRAY
- EXCELLENT GRIP



SIZES: 7 TO 9 COMPOSITION: Nitrile, polyamide



3121X

BASIC: Planting, handle tools, masonry, handling

- GOOD GRIP
- PALM AND FINGER PROTECTION

NERINE: Small gardening jobs, re-potting, furniture assembly, painting

- GOOD GRIP
- SECOND SKIN EFFECT



SIZES: 6 TO 8 COMPOSITION: Latex, polyester



FUSHIA: Planting, handle tools, masonry, handling

- GOOD GRIF
- PALM AND FINGER PROTECTION









SIZES: 6 TO 8
COMPOSITION:
Latex, polycotton





1 WORK: Planting, pruning, digging, outdoor work

- THE TREATED WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY
- BREATHABLE



© CONTACT: Pruning, lawn mower, weeding, driving

- 100% BREATHABLE
- CLOSURE ADJUSTABLE AT THE WRIST



SIZES: 9 TO 10 COMPOSITION: Cow grain leather



SIZES: 7 TO 10 COMPOSITION: Polyester, goat leather **2016/425 MINOR RISKS**

3 DRYFEEL: Mowing, pruning, woodworking, sanding

- 100% BREATHABLE
- LIGHTWEIGHT



SIZES: 7 TO 10 COMPOSITION:

2016/425 MINOR RISKS

Polyester





® WGB: Digging, handling, woodworking, plumbing

•WRIST PROTECTION



SIZE: 10 2016/425 MINOR RISKS COMPOSITION:

Cow split leather, cotton

CHALEUR: Taking dishes out of the oven, plancha, kitchen, hot part handling

- 2X MORE DURABLE: TURN IT INSIDE OUTFOR LEFT AND RIGHT HANDED PEOPLE: AMBIDEXTROUS
- WITHSTANDS 10 SECONDS AT 250°C











18 LIQUIDO: Masonry, maintenance, watering, washing

- GOOD GRIP
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES
- FOREARM PROTECTION (35 CM)

LEAK TIGHTNESS COMFORT DURABILITY DURABILITY

SIZES: 7 TO 10 COMPOSITION: Nitrile, polyester



® CARE: Maintenance, washing, market gardening, watering

- FOREARM PROTECTION
- NON-SLIP PALM EFFECT



SIZES: 7 TO 8 COMPOSITION:

Latex

2016/425 MINOR RISKS

WETPRO: Pool, septic tank, manger maintenance, plumbing

- PROTECTION EXTENDED UP TO THE SHOULDER (60 CM)
- ARM ADJUSTMENT USING A TIGHTENING ELASTIC

COMFORT DURABILITY

® MECANO: Mechanics, dyeing, varnishing, household work

- AMBIDEXTROUS
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES
- AVAILABLE IN BAGS OF 10 OR BOXES OF 100



SIZES: 9 AND 10 COMPOSITION: PVC, cotton



SIZES: 7 AND 9 COMPOSITION: Nitrile











SPORTS & HANDISPORTS

156. MAXTOP

156. MAXFEEL

156. GRIPRO

SPORTS & HANDISPORTS HIVER

157. CANADA

157. COLDPRO

157. IVERNO

157. MONTAGNE

HUNTING

158. SOULDIER

158. FEELPRO

158. MIDSEASON

158. OPSK

159. SPEEDNET

159. SKINTOUCH

159. MECANO

159. LECOMPLET

FISHING & POTHOLING

160. VISIBLE

160. MACPRO

160. LHUITRIER

2 WHEELS

161. SPFFDFR1KP

161. MAXGRIP

161. SOULDIER

LEISURE

162. COCOON.F

162. COCOON.H

162. COCOON.ENF

SPORTS & HANDISPORTS



MAXTOP: Handisports - wheelchair sports

- EXCELLENT GRIP
- RESISTS ON THE PALMS AND FINGERS
- SOBER AND UNISEX



MAXFEEL: Handisports - wheelchair sports

- EXCELLENT GRIP
- FOR EVERYONE: DIFFERENT COLOURS



SIZES: 7 TO 12 COMPOSITION: Nitrile, polyamide



SIZES: 7-8 AND 9-10 COMPOSITION: Nitrile, polyamide



GRIPRO: Handisports - wheelchair sports

- EXCELLENT GRIP
- HIGH VISIBILITY



SIZES: 8 TO 11 COMPOSITION: Latex, polycotton





WINTER SPORTS & HANDISPORTS



© CANADA: Outdoor sports

- GOOD GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- **EXTREMELY SOFT ON THE SKIN**

TOP SALES LEAK TIGHTNESS

DEXTERITY

EN388

EN511

COLDPRO: Outdoor sports

- EXCELLENT GRIP
- EXTENDED FINGER PROTECTION
- VISIBLE COLOUR



SIZES: 6 TO 11 COMPOSITION: Nitrile, acrylic







SIZES: 8 TO 11 COMPOSITION: Latex, acrylic





IVERNO: Outdoor sports - skiing

- WITHSTANDS COLD UP TO -10°C
- WATERPROOF AND BREATHABLE MEMBRANE
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



SIZES: 7 TO 11

COMPOSITION:

Cow grain leather, polar fleece lining, polyester Ripstop

MONTAGNE: Outdoor sports - skiing

- LEASH TO AVOID LOSING THE GLOVE
- EXCELLENT GRIP
- REINFORCEMENT ON THE WEAR ZONES



COMPOSITION:

Goat leather, polyurethane laminated polyamide fabric, fur, silicone amara

2016/425 MINOR RISKS

HUNTING



SOULDIER: Shooting - beaters

- SUPPLE AND KEEPS GOOD DEXTERITY
- CAMOUFLAGE EFFECT
- 2X MORE DURABLE: REINFORCED 1ST WEAR ZONE



FEELPRO: Shooting - beaters

- ULTRA-COMFORTABLE, SECOND SKIN EFFECT
- EXCELLENT GRIP
- HIGH VISIBILITY



SIZES: 6 TO 10

COMPOSITION:

Polyester microfibre, silicone, polyamide



SIZES: 7 TO 11

COMPOSITION:

Nitrile, polyamide, elasthane





MIDSEASON: Shooting - beaters

- SECOND SKIN EFFECT
- IDEAL FOR COLD AND WET ENVIRONMENTS (UP TO 0°C)
- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE

OPSK: Shooting - beaters

- MAXIMUM CUT RESISTANCE (32.1 N)
- OPTIMUM GRIP FROM THE SILICONE
- TRIGGER FINGER DEXTERITY



SIZES: 7 TO 12 COMPOSITION: Nitrile, acrylic







SIZES: 6 TO 11

COMPOSITION:

High tenacity polyethylene, polyurethane, D30®, silicone amara



HUNTING



SPEEDNET: Gun cleaning

- LEAVES SURFACES CLEAN AND FREE OF MARKS
- DOES NOT FLUFF
- IMPROVED PERFORMANCES AFTER WASHING



SIZES: 6 TO 11 COMPOSITION:

Microfibre

MECANO: Animal cleaning

- AMBIDEXTROUS
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



SIZES: 7 AND 9 COMPOSITION: Nitrile



SKINTOUCH: Gun cleaning

- SECOND SKIN EFFECT
- SOBER, STAIN RESISTANT BLACK COLOUR
- OPTIMISED DEXTERITY



SIZES: 6 TO 12 COMPOSITION: Polyurethane, nylon



LECOMPLET: Butchering and boning

- MAXIMUM CUT RESISTANCE (56.7 N)
- PERMANENTLY WATER AND OIL REPELLENT: LIMITED WATER ABSORPTION



SIZES: 5 TO 13

COMPOSITION:

High tenacity polyethylene, mineral fibres, stainless steel



FISHING & POTHOLING



VISIBLE: Handling tools and fish

- GOOD TOOL GRIP
- BRIGHT COLOUR TO FIND THE GLOVES QUICKLY
- PALM AND FINGER PROTECTION



MACPRO: Fish handling and potholing

- GOOD GRIP ON RODS AND FISH
- FACILITATES HOOK REMOVAL
- CLOSURE ADJUSTABLE AT THE WRIST



SIZES: 8 TO 11 COMPOSITION: Latex, polyester



SIZES: 8 TO 11

COMPOSITION:

Latex, high tenacity polyethylene, mineral fibres



B LHUITRIER: Oyster handling and opening

- EXCELLENT PERFORATION RESISTANCE (PALM REINFORCEMENT)
- MAXIMUM CUT PROTECTION (56.7 N)
- PERMANENTLY WATER AND OIL REPELLENT: LIMITED WATER ABSORPTION



SIZES: 6 TO 10 COMPOSITION:

High tenacity polyethylene, mineral fibres, stainless steel







2 WHEELS



SPEEDER1KP: Motorised devices - summer and mid-season

- MOTORCYCLE STANDARDS
- EXCELLENT HANDLEBAR GRIP
- FLEXIBLE D30® PROTECTION SHELLS



3 MAXGRIP: Bicycle, push scooter - mid-season

- EXCELLENT GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- ECONOMIC, ECOLOGICAL: AMBIDEXTROUS DESIGN



SIZES: 6 TO 12

COMPOSITION:

Goat leather, silicone amara, polyester





SIZES: 7 AND 9 COMPOSITION: Acrylic, silicone

2016/425 MINOR RISKS

3 SOULDIER: Bicycle, push scooter - regular use

- WATER REPELLENT BACK
- EXCELLENT GRIP
- 2X MORE DURABLE: REINFORCED 1ST WEAR ZONE




SIZES: 6 TO 10

COMPOSITION:

Polyester microfibre, silicone, polyamide





LEISURE



© COCOON.F: Hiking, cycling, work glove liner

- ECO-DESIGNED: MADE FROM RECYCLED MATERIALS
- EXTREMELY SOFT ON THE SKIN
- SUITABLE FOR COLD ENVIRONMENTS



® COCOON.H: Hiking, cycling, work glove liner

- ECO-DESIGNED: MADE FROM RECYCLED MATERIALS
- EXTREMELY SOFT ON THE SKIN
- SUITABLE FOR COLD ENVIRONMENTS



SIZE: 7
COMPOSITION:

2016/425 MINOR RISKS

Recycled polyester

SIZE: 9 COMPOSITION:

Recycled polyester

2016/425 MINOR RISKS


COCOON.ENF: Hiking, cycling, scooters

- ECO-DESIGNED: MADE FROM RECYCLED MATERIALS
- EXTREMELY SOFT ON THE SKIN
- SUITABLE FOR COLD ENVIRONMENTS





2016/425 MINOR RISKS



LEISURE



FROM 10°C **DRY ENVIRONMENTS** AT 0°C

O COCOON:

- ECO-DESIGNED: MADE FROM RECYCLED MATERIALS
- EXTREMELY SOFT ON THE SKIN





SIZES: 5, 7, 9 COMPOSITION: 2016/425 MINOR RISKS

Recycled polyester

UNDERGRIP/MAXGRIP:

- TIME SAVING: COMPATIBLE WITH TOUCH SCREENS
- AMBIDEXTROUS: DOUBLE





SIZES: 7 TO 11 COMPOSITION: Acrylic, silicone

2016/425 MINOR RISKS

ZPP25P/ZPP25:

- INSULATES FROM POSITIVE COLD
- CAN BE USED AS A LINER





SIZES: 6 TO 11 COMPOSITION:

2016/425 MINOR RISKS

PVC, polypropylene, elasthane

FROM 5°C **WET ENVIRONMENTS** AT -5°C

CANADA:

- TIME SAVING: COMPATIBLE WITH TOUCH SCREENS
- EXTREMELY SOFT ON THE SKIN

(1) SARMENT / MIDSEASON:

- MORE DURABLE 1ST STRENGTHENED WEAR ZONES
- DAMP RESISTANCE

VIGNE:

- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY
- MOISTURE RESISTANT

OCOLDPRO:

- GOOD TOOL GRIP
- EXTENDED FINGER **PROTECTION**





SIZES: 6 TO 11 COMPOSITION: Nitrile, acrylic























SIZES: 8 TO 11 COMPOSITION: Latex, acrylic





WINTERPRO:

- FULL HAND PROTECTION
- GOOD TOOL GRIP

IVERNO:

- WATERPROOF AND BREATHABLE MEMBRANE
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY

MONTAGNE:

- LEASH TO AVOID LOSING THE GLOVE
- TIME SAVING: COMPATIBLE WITH TOUCH **SCREENS**

BLUE-FREEZE/BLUE-ICE:

- FREEDOM OF MOVEMENT
- NO COLD PENETRATION: **RIBBING**

















SIZES: 7 TO 11 COMPOSITION: Nitrile, acrylic





Cow grain leather, polar fleece, polyester Ripstop





SIZES: 6 TO 12

2016/425 MINOR RISKS COMPOSITION:

Goat leather, polyurethane laminated polyamide fabric, fur, silicone amara

SIZES: 7 TO 11

COMPOSITION: Cow split leather,

wool, cotton





FROM -30°C

CRYOGENIC ENVIRONMENT

AT -196°C

YOUR **EMPLOYEES** WITH THE HEATING SYSTEM! MORE INFORMATION ON PAGE 114

CRIO/CRIOBC:

- PROTECTS FROM CRYOGENIC COLD
- WATER-REPELLENT





SIZES: 8 TO 11 COMPOSITION:

Cow grain leather, wool, cotton



T.CRYO / GUETRECRYO:

PROTECTS FROM CRYOGENIC COLD





SINGLE SIZE COMPOSITION: 2016/425 MINOR RISKS

Silicone, wool, cotton

UP TO 100°C

HYDROPRO:

- WITHSTANDS CONTACT HEAT UP TO 100°C
- GOOD CUT RESISTANCE





SIZES: 7 TO 11 COMPOSITION:

Cow grain leather, para-aramid





LIGHT-WELD:

- WELDER STANDARD
- GOOD CUT RESISTANCE





SIZES: 7 TO 11

COMPOSITION:

Goat leather, para-aramid, mineral fibres, cotton





EN 12477 TYPE A

SPLITWELD:

- WELDER STANDARD
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY





SIZES: 7 TO 11 COMPOSITION: Cow split leather







UP TO 350°C

HEATRESIST:

- WITHSTANDS CONTACT HEAT UP TO 350°C
- VERY GOOD CUT RESISTANCE

PROTRI-1:

- WITHSTANDS CONTACT HEAT UP TO 350°C
- OIL BARRIER: OIL-PROOFED LEATHER

ROLLHEAT/OILGRIP5:

- CONTACT HEAT RESISTANCE UP TO 350°C
- BARRIER TO OILS AND KEEPS A GOOD GRIP

WARM250/50D2:

- DOES NOT SHRINK LIQUID AND VAPOUR
- REPELLENT





SIZES: 8 TO 11 COMPOSITION:

Para-aramid terry loop, cow split leather, wool, cotton







SIZES: 7 TO 12 COMPOSITION: Cow split leather, para-aramid,

mineral fibres, cotton







SIZES: 7 TO 11 COMPOSITION: Para-aramid terry loop, cotton







SIZES: 8 TO 12 COMPOSITION: Silicone, para-aramid, acrylic, cotton



ALUWELD:

- WELDER STANDARD
- RESISTANCE TO MOLTEN METAL SPRAY

PROSOUD/1:

- OIL BARRIER: OIL-PROOFED LEATHER
- RESISTANCE TO MOLTEN METAL SPRAY

PARA4HEAT:

- WITHSTANDS CONTACT HEAT UP TO 250°C
- VERY GOOD CUT RESISTANCE

PARA4HEAT+:

- WITHSTANDS CONTACT HEAT UP TO 250°C
- VERY GOOD CUT RESISTANCE

















SIZES: 5, 7, 9 COMPOSITION:

Cow split leather, aluminised fabric, para-aramid, mineral fibres, cotton





Cow split leather, para-aramid, mineral fibres, cotton, polyester



EN 12477 TYPE A

SIZES: 7 TO 10 COMPOSITION: Para-aramid, cow split leather, cotton





SIZES: 7 TO 10

COMPOSITION: Para-aramid, cow split leather, cotton





UP TO 500°C

PROFUSION-1:

- EXCELLENT HEAT RESISTANCE UP TO 500°C
- MOLTEN METAL SPRAY RESISTANCE

HEATRESIST+:

- WITHSTANDS CONTACT HEAT UP TO 350°C
- VERY GOOD CUT RESISTANCE

HEATRESIST-MITT:

- VERY GOOD CUT RESISTANCE (29.2 N)
- AMBIDEXTROUS: DOUBLE SERVICE LIFE

B7VERD:

- VALIDATED BY FLUE **MASONS**
- HIGH TEMPERATURE RESISTANCE:UP TO 800°C



















SINGLE SIZE COMPOSITION: Para-aramid terry loop, wool, cotton, aramid







SIZES: UNIQUE COMPOSITION: Mineral fibre, silicone, cotton





fibres, cotton

Cow split leather, aluminised fabric, para-aramid, mineral



ICOMBJET:

- OVERALLS TO PROTECT FROM DIRT
- **ZIP FASTENER:** EASIER TO PUT ON
- ELASTICATED HOOD

ICOMCS5022/5023:

- PHYTO, INFECTION AND RADIOACTIVE PROTECTION OVERALLS
- BREATHABLE AND ANTISTATIC MATERIAL
- ELASTICATED CUFFS, LEGS AND WAIST

4255+:

- FILTER BUILT INTO THE MASK AGAINST ORGANIC VAPOURS AND PARTICLES (PAINT, HANDLING OF ORGANIC CHEMICALS. PHYTOSANITARY PRODUCTS)
- CLEAR FIELD OF VISION



SIZES: M TO XL



SIZES: L TO XL



SINGLE SIZE

2016/425 PROTECTION RATING FFA2P3D

MASKCHIRN:

- CLASS I MEDICAL DEVICE
- NOSE BAR
- SOFT AND COMFORTABLE

MASKCHIRO:

- CLASS I MEDICAL DEVICE
- NOSE BAR
- SOFT AND COMFORTABLE

MASQUEFFP2:

- FFP2 PROTECTION ANTI-POLLUTION, ANTI-ALLERGEN, ANTI-VIRUS
- FINE PARTICLE FILTRATION > 94%
- SOFT AND COMFORTABLE

MASQUEFFP3:

- FFP3 PROTECTION ANTI-POLLUTION, ANTI-ALLERGEN, ANTI-VIRUS FINE PARTICLE
- FILTRATION > 99%
- SOFT AND COMFORTABLE



SINGLE SIZE

EN14683:2019



SINGLE SIZE



EN14683:2019



SINGLE SIZE



EN149:2001+A1:2009



SINGLE SIZE

EN149:2001+A1:2009



RUSHPPSIO:

- NON-SLIP BRIDGE
- CO-INJECTED, ULTRA-FLEXIBLE TEMPLES
- SCRATCH PROOF / NO FOGGING

RUSHPPSFO:

- SOLAR AND UV PROTECTION
- NON-SLIP BRIDGE
- SCRATCH PROOF / NO FOGGING

ATOAPSI:

- PROTECTION FROM ORGANIC VAPOURS
- COMPACT AND LIGHTWEIGHT
- COMPATIBLE WITH PRESCRIPTION GLASSES

LUNMAS:

- FOGGING-PROOF GOGGLE MASK
- COMPATIBLE WITH PRESCRIPTION GLASSES
- ADJUSTABLE ELASTIC HEAD BAND













SINGLE SIZE

EN166 FTKN SINGLE SIZE

EN166 FTKN SINGLE SIZE

EN166 FTKN SINGLE SIZE

EN166 FTKN

CASQVIS:

- MESH FACE SHIELD
- SNR = 28 dB

HARD HAT:

- ADJUSTABLE HEAD BAND
- COMFORTABLE
- ■SNR = 25 dB

HEADBAND:


- REUSABLE AND RECYCLABLE
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES
- SNR = 23 dB

1100SP:

- SMOOTH STRUCTURED, HYGIENIC SURFACE
- SNR = 37 dB
- BAG CONTAINING 5 PAIRS









SINGLE SIZE

EN 352-1 EN1731 SINGLE SIZE

EN352-1

SINGLE SIZE

EN 352-2

SINGLE SIZE

EN 352-2











AN ADAPTED PRODUCT LINE

Our product lines are designed by listening to our customers and the feedback from specialist users.

how does it work?

1. ATTENTIVENESS

From factory production operators to policemen, to beginner gardeners, everyone's requirements and needs are collected and analysed.

2. DESIGN

The needs expressed by the users make it possible to target the most relevant technology to protect them and make it possible for them to have the best use.

3. FIELD TEST

A true test bench, this validation step is essential to validate the design of our most technical products. No glove gets past the design phase without having been tested by a representative panel of users.

4. ADVICE AND RECOMMENDATION

Our catalogue and materials make it possible to find the glove for your application. Our gloves are scored using a diagram that features the 4 main characteristics being sought.



Product scores are given for the recommended use in the various universes

For example:

A very durable glove to lay tiling is not durable when pruning thorn bushes or handling metal plates. It is therefore very important not to compare the diagrams for a same glove in different environments or applications.

5. FEEDBACK

Information is collected on various media: production sites, training centres, web sites, etc. Everything is closely looked at to make your feedback an enriched and shared experience.

You want to bear witness or take part in our continuous improvement? You were not able to find the ideal glove?

Write to us: product@rostaing.fr

AN OFFER FOR EVERYONE!

We adapt our size ranges to our customer needs, uses and the identified population:

- From 3 years old to the biggest sizes
- 70% of our offer covers extreme sizes from 6 to 12
- A customisable range for the disabled

No one is immune to mistakes caused by loss of concentration, a defective machine or other factors beyond our control... Everyday we see hands that have suffered from everyday accidents. Rostaing creates bespoke products to allow the pursuit of a professional activity or a passion.

Contact: commercial@rostaing.fr



QUALITY AT THE HEART OF ALL OUR CHALLENGES!

Your hands are precious, as a result, effective and adapted protection is only valid if quality is provided. At Rostaing, our quality department works to continuously improve our products. Quality of materials, production, quality of the advice we give our users (the right glove for the right use and proper protection), these are our duties. Our integrated internal laboratory allows us to test our batches of raw materials to guarantee finished product quality.

If you have any remarks concerning the quality of our products or services: sav@rostaing.fr We will get back to you within 24H.

WASHABLE GLOVE LINES!

We have chosen to offer ever more durable products that guarantee the same protection performances after several washing cycles. We propose assistance in setting up a professional care service. It has been proved! You will save 20 to 40% on your PPE budget and a 50% reduction of your waste.

Easy to set up, don't hesitate, contact us: commercial@rostaing.fr

THE BEST PROTECTION FOR EVERYONE!

Today, Rostaing is:

over 10,000 distributors and points of sale in France and abroad... We are also on the web.

Flash the QR code to see our partner distributors and points of sale





ZAMIS LINE

Seven glove model references and one apron reference to stock up your shelves, this very colourful line will attract the attention of parents and children, a quaranteed effect!

You will find the characteristics of all the models on pages 126 to 129.

Other promotional solutions with the wood display for children or the 32 peg totem are available on page 176.

WE LIKE:

- The visible colourful line
- The adorable animal design
- The games on the back
- The gloves are attached and cannot be lost thanks to their leash, parents can relax!



GARDEN LINE

Garden is the most trendy line in the garden! Created by the Chlorosphere trend firm, its flowery natural kraft packaging and its trendy coloured gloves in natural materials will delight users who are sensitive to design and the environment.

You will find the characteristics of all the models on pages 132 to 141.

Other promotional solutions with the matching face wood display or the 32 peg totem are available on page 176.

WE LIKE:

- Natural trendy line
- Eco-responsible models
- The associated personality test



THE TOUCH LINE

TOUCH line gloves were the most acclaimed in 2019! With their colourful look, their second skin comfort and their touch function, they offer adapted protection for all age ranges, uses and seasons.

You will find the characteristics of all the models on pages 142 to 147.

Other promotional solutions with the matching face wood display or the 32 peg totem are available on page 176.

WE LIKE:

- A mixed line for the garden and/or DIY
- Leashes to avoid losing them
- References from size 5 (pre-teen) to size 12



4 IN 1 LINE

New, the "4 in 1" gloves are coming. The concept is simple, one glove = 4 uses. If your customer is undecided, reassure them by proposing a multipurpose "4 in 1" model.

You will find the characteristics of all the models on pages 148 to 153.

Other promotional solutions with the matching face wood display or the 32 peg totem are available on page 176.

WE LIKE:

- A practical, simple and essential offer
- Different types of protection
- Their fun and playful packaging



BATIPRO LINE

Initiated by the "CAPEB" and validated by construction sector professionals, this offer proposes gloves for all uses, from the most generic to the most specific.

See the characteristics of the models on the corresponding pages below.

Other promotional solutions with the matching face wood display or the 32 peg totem are available on page 176.

WE LIKE:

- "Expert" gloves for specific professional uses
- The models that protect from the cold
- Their excellent value for money
- *French confederation of construction tradesmen and small companies



SEE MODEL DETAIL

PAGE 72





GRIPRO PAGE 105



COLDPRO

PAGE 107

GASPRO



MACPRO

CARPRO

PAGE 108



PAGE 24



DURANIT-PLUS

PAGE 58



DURANIT-ULTRA

PAGE 58



FIXTRA

PAGE 98



PAGE 55



PAGE 106



MAXIPRO

PAGE 12



OPTIPRO

PAGE 10



PRIMACUFF35

PAGE 66



RESCUEPRO

PAGE 107



SKINPRO

PAGE 58



SOFTPRO

WELDING AND HANDLING. COW GRAIN LEATHER (SIZES 8 TO 11).



SPLITWELD

PAGE 68



WINTERPRO

PAGE 12



WHITEPRO

PAGE 108



PRONATUR LINE

Created and validated by landscaping and farming professionals, this offer perfectly meets both professional and demanding non-professional needs for garden and green space maintenance.

See the characteristics of the models on the corresponding pages below.

Other promotional solutions with the matching face wood display or the 32 peg totem are available on page 176.

WE LIKE:

- The RONCIER glove big thorn best seller
- The CLOTURE glove for barbed wire
- A durable leather offer, functional with its RIPSTOP technology (see page 10)



CLOTURE PAGE 13



EM25A PAGE 10



FOREST PAGE 86



GRIFSTOP PAGE 13



PAGE 158



MIDSEASON PAGE 10



PAGE 11



PAGE 11



SARMENT PAGE 12



SEQUOIA PAGE 8



SNITRILE

PAGE 23



SOLIDO

PAGE 13



STRONGER PAGE 11




T.70X135

PAGE 13



VIGNE PAGE 158



*Simulation using our Rostaing planogramme tool. Ask your local sales representative for the tool.

Aisle dressing proposed by Rostaing is:

more simplicity and efficiency, everything is packaged in kit form.

more advice and sales by giving your customers the answers to their questions: hand size, use, protection standards.

more footfall in the aisles thanks to attractive visuals: two shelf stops of a design similar to the packaging for the corresponding product line will provide additional information and pleasant animation.

Your Rostaing expert is:

- Your product expert who will provide training, advice and recommendations tailored to your customer base.
- Your sales expert: Business booster, it will propose themed offers throughout the year and transverse sales.
- Your service expert: they will know how to optimise space and will lay out your selection perfectly.

Contact us for your store layout and boost your sales: commercial@rostaing.fr

THE DURABLES: WOOD WITH NO NAILS OR SCREWS





Practical!
Our displays are all
mounted on rollers



Built-in storage trays



12 RACK CHILDREN'S DISPLAY UNIT

Ref: CHILDREN'S DISPLAY UNIT

Free of charge for all orders of at least 100 units.

24 RACK DISPLAY UNIT

Ref: PRESBOISCOPORATE-GARDEN or PRESBOISPRONATUR-TOUCH

Free of charge for all orders of at least 240 units.

■ THE TEMPORARIES: CARDBOARD







Boost your sales! Guaranteed +20% cash register exits





ADULT TOTEM 32 RACKS

Ref: TOTEM32

Free of charge for all orders of at least 160 units.

CHILDREN'S TOTEM 32 RACKS

Ref: TOTEM/ENF

Free of charge for all orders of at least 80 units.

OFFER TRAY BULK SINGLE PRICE

Ref: BACPROMO

Free of charge for all orders of at least 100 units.

UNIVERSAL COUNTER BOX 3 RACKS

Ref: BOXCOMPTOIR

Free of charge for all orders of at least 60 units.

ROSTAING



OUR DNA

80 years ago we committed ourselves to protecting the hands and lives of heavy industry workers. Today, our vocation is to protect all hands, in all universes from all risks.

The ROSTAING brand carries this mission through the commitment of its teams and the passion of every employee. We believe that a business is not just a workplace but also somewhere we can feel useful and where it is important to share life values.

Our CSR policy reflects our values and defines the policies which make it possible for us to limit our impacts on the environment and sustain our activity:

Our signature of the **United Nations Global Compact** confirms all our societal commitments.

CONSUME BETTER BY PROTECTING NATURAL RESOURCES AND ENCOURAGING **SHORT CIRCUITS:**

Quality to last longer

relationship.

- Washing recommendations to stop throwing away
- Closer production with 40% in the EUROMED zone
- The re-industrialisation project in France
- The choice of local suppliers

DEVELOP STRONG COHESION TO ACHIEVE OUR OBJECTIVES:

Support the training and support that allows for personal development, team success and the growth of the ROSTAING group in its environment.

Communicate and act inside the ROSTAING Group sphere of influence to promote CSR commitments. The RFAR label shows the continuity of our commitment to the supplier



INNOVATE TO PROTECT EVERY HAND, PROTECT PEOPLE AND THEIR LIFE CONDITIONS:

- High technology process to prevent all risks beyond the standards. More information on page 45.
- The integration of electronic systems to better protect us. More information on page 36.
- The creation of a new Universe in 2022: Caring for ourselves and others.

PROMOTE AND ENCOURAGE VOLUNTARY OR GENERAL INTEREST ACTIONS:

Donate for projects we care for and that have meaning. Every year, over 50,000 pairs of gloves are donated to non-profit organisations.















CIVIL SECURITY


LABEL

SCANFORCE®

ENDOGÈNE











			v		
PROTECT-IT10	PROTECTMAX	PROTECTMAX-IT07	PROTECTMAX-IT08	PROTECTMAX-IT09	PROTECTMAX-IT10
3 * 353090 * 089866		3 353090 089781	3 353090 089798	3 353090 089804	3 * 353090 * 089811 *
RESCUEPRO	RESCUEPRO-IT08	RESCUEPRO-IT09	RESCUEPRO-IT10	RESCUEPRO-IT11	RONCIER
	3 353090 111802	3 353090 111819	3 353090 111826	3 353090 111833	
RONCIER-IT07	RONCIER-IT08	RONCIER-IT09	RONCIER-IT10	RONCIER-IT11	ROOTS
3 353090 077139	3 353090 073346	3 353090 073353	3 353090 073360	3 353090 073377	
ROOTS-IT07	ROOTS-IT08	ROOTS-IT09	ROOTS-IT10	ROOTS-IT11	ROSERAIE
3 353090 089620	3 353090 089637	3 353090 089644	3 353090 089651	3 353090 089068	At .
ROSERAIE-IT07	ROSERAIE-IT08	ROSERAIE-IT09	ROSERAIE-IT10	RUSHPPSF0	RUSHPPSF0
3 353090 099957	3 353090 9 099964	3 353090 099971	3 353090 099988	1	3 660740 007461
RUSHPPSI0	RUSHPPSI0	SARMENT	SARMENT-IT08	SARMENT-IT09	SARMENT-IT10
TA	3 680740 007164		3 353090 111840	3 353090 111857	3 353090 111864
SARMENT-IT11	SEQUOIA	SEQUOIA-IT07	SEQUOIA-IT08	SEQUOIA-IT09	SEQUOIA-IT10
3 353090 111871	W. C.	3 353090 073292	3 353090 073308	3 353090 073315	3 353090 073322
SEQUOIA-IT11	SEQUOIA-IT12	SKINPRO	SKINPRO/IT07	SKINPRO/IT08	SKINPRO/IT09
3 353090 073330	3 353090 108284	100	3 353090 058114	3 8 353090 8 058121 B	3 353090 058138
SKINPRO/IT10	SKINPRO/IT11	SNITRILE	SNITRILE/IT07	SNITRILE/IT08	SNITRILE/IT09
3 353090 058145	3 353090 058152		3 353090 620076	3 353090 620083	3 353090 620090
SNITRILE/IT10	SOFTPRO	SOFTPRO/IT08	SOFTPRO/IT09	SOFTPRO/IT10	SOFTPRO/IT11
3 353090 620106	14	3 353090 059173	3 353090 059180	3 353090 059197	3 353090 060292
SOLIDO	SOLIDO-IT08	SOLIDO-IT09	SOLIDO-IT10	SOLIDO-IT11	SOULDIER.F
White the same of	3 353090 100400	3 353090 100417	3 353090 100424	3 353090 100431	W. W.
SOULDIER.F-IT06	SOULDIER.F-IT07	SOULDIER.F-IT08	SOULDIER.H	SOULDIER.H-IT08	SOULDIER.H-IT09
3 353090 099773	3 353090 099780	3 353090 099797	W.	3 * 353090 * 099803	3 353090 099810



1100SP	169
4255+	168
ALUWELD	64-166
ANABEL	129
ANIMALYS1	19-51
ARTHUR	129
ATOAPSI	169
ATTACK6PEOM-B	46
ATTACK6PEOM-BSC	44
ATTACK6PEOM-BSCT	44
ATTACK6PEOMTEX-BSC	44
ATTACK6PEOTEX-B	46
B AXEL	129
B7VERD	65-80-167
BACKPROTECT	55-59-103-107-117-123
B BASIC	10-149
BLACKNIT	16-71-81-91
BLACKSTARM-B	46
BLACKSTICK+	23-108
BLACKSTICK+-SC	48-51
BLACKSTICK30+RI	90
BLACKTACTIL	72-74-85-93-97-100
BLACKTACTIL/0	34-74-103
BLACKTACTILTOUCH	118
BLACKTOP	67-81-89
BLACKTOPNIT	74
BLUE-FREEZE	165
BLUE-ICE	116-165
■ B0H0	134
B CANADA	30-77-102-106-116-120- 147-157-164
© CARPRO	110-174
CASQVIS	169
CEREMONIE	41
B CHALEUR	151
CLIFF	39
CLOTURE	15-22-175

 □ COCOON □ COLDPRO □ COLDPRO □ COLDPRO □ CONTACT □ CONTACT □ DENIM □ DENIM □ DENIM □ DENIM □ DURANIT-ONE □ DURANIT-ONE □ DURANIT-PLUS □ DURANIT-PLUS □ DURANIT-ULTRA □ DURANIT-ULTRA □ EM25A □ EM25A □ ENTRETIEN □ ENTRETIEN □ EPS25A □ ENTRETIEN □ EPSCPS25/12 □ ERGOMASTER □ EUGENE □ EUGENE □ EUGENE □ EV013 □ 10-23-57 □ EXTRACOMPLET □ EXTRACOMPLET □ FELPRO □ 60-91-100-120-174 □ FLOWER □ FOREST □ FRENCHIE □ FOREST □ FRENCHIE □ GASPRO □ GASPRO □ GASPRO □ GASPRO □ GRIFSTOP □ 13-175 		
③ CONTACT 150 CRIO 56-165 CRIOBC 56-165 ⑤ DENIM 141 ⑤ DENIM 141 ⑥ DURANIT-ONE 14-24-40-50-58-73-92-102-103-119-120-123-174 ⑥ DURANIT-PLUS 58-90-97-102-110-119-174 ⑥ DURANIT-ULTRA 58-72-85-90-97-108-119-174 ⑥ DURANIT-ULTRA 152 ⑥ EM25A 12-175 ⑥ EM25A 12-175 ⑥ ENTRETIEN 152 ⓒ EPS25A 54 ⓒ EPS7BPA 117 ⓒ EPSCPS25/12 88 ⓒ ERGOPRIMA 68-82-98 ⑥ EUGENE 127 ⓒ EV013 10-23-57 ⓒ EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 26-30-54-84-91-102-102-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 ⑥ FIXTRA 60-91-100-120-174 ⑥ FOREST 88-175 ⑥ FRENCHIE 138 ⑥ FUSHIA 149 ⑥ GASTON 128 ⑥ FINTER 38-122 ⑥ GREENTACTILTOUCH 34	B COCOON	162-164
CRIO 56-165 CRIOBC 56-165 DENIM 141 DENIM 141 DENYFEEL 150 DURANIT-ONE 14-24-40-50-58-73-92-102-108-110-119-120-123-174 DURANIT-PLUS 58-90-97-102-110-119-174 DURANIT-ULTRA 58-72-85-90-97-108-119-174 EM25 61 EM25A 12-175 ENTRETIEN 152 EPS25A 54 EPS7BPA 117 EPSCPS25/12 88 ERGOMASTER 68-82-98 ERGOPRIMA 68-82-98 ERGOPRIMA 68-82-98 ERGOPRIMA 68-82-98 EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 FITXTRA 60-91-100-120-174 FICH FOREST 136 FOREST 136 GASPRO 25-50-57-174 GASTON 128 GREENTACTILTOUCH 34	B COLDPRO	24-109-157-164
CRIOBC 56-165 ① DENIM 141 ① DRYFEEL 150 ① DURANIT-ONE 14-24-40-50-58-73-92-102-108-110-119-120-123-174 ② DURANIT-PLUS 58-90-97-102-110-119-174 ② DURANIT-ULTRA 58-72-85-90-97-108-119-174 EM25 61 ③ EM25A 12-175 ③ ENTRETIEN 152 EPS25A 54 EPS7BPA 117 EPSCPS25/12 88 ERGOMASTER 68-82-98 ④ ERGOPRIMA 68-82-98 ③ EUGENE 127 EV013 10-23-57 EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 26-30-54-84-91-102-106-118-120-158 FIT4PROTOUCH 60-91-100-120-174 ① FLOWER 136 ① FOREST 88-175 ① FRENCHIE 138 ① FUSHIA 149 ① GASPRO 25-50-57-174 ② GASTON 128 GREENTACTILTOUCH 34	B CONTACT	150
③ DENIM 141 ⑤ DRYFEEL 150 ⑤ DURANIT-ONE 14-24-40-50-58-73-92-102-108-110-119-120-123-174 ⑥ DURANIT-PLUS 58-90-97-102-110-119-174 ⑥ DURANIT-ULTRA 58-72-85-90-97-108-119-174 ⓒ EM25 61 ⑥ EM25A 12-175 ⑥ ENTRETIEN 152 EPS25A 54 EPS7BPA 117 EPSCPS25/12 88 ERGOMASTER 68-82-98 ERGOPRIMA 68-82-98 ⑥ EUGENE 127 EV013 10-23-57 EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 ⑥ FITXTRA 60-91-100-120-174 ⑥ FOREST 88-175 ⑥ FOREST 88-175 ⑥ FRENCHIE 138 ⑥ FUSHIA 149 ⑥ GASPRO 25-50-57-174 ⑥ GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	CRIO	56-165
 □ DRYFEEL □ DURANIT-ONE □ DURANIT-ONE □ DURANIT-ONE □ DURANIT-PLUS □ DURANIT-PLUS □ DURANIT-PLUS □ DURANIT-ULTRA □ EM25 □ EM25A □ ENTRETIEN □ ENTRETIEN □ EPS25A □ EPS25A □ ERGOMASTER □ ERGOPRIMA □ EUGENE □ EVO13 □ 10-23-57 □ EXTRACOMPLET □ FAUVE □ FAUVE □ FITXTRA □ FOREST □ GASPRO □ GASTON □ GASTON □ GREENTACTILTOUCH □ GREENTACTILTOUCH □ GASTON □ GREENTACTILTOUCH □ GREENTACTILTOUCH □ GREENTACTILTOUCH □ GASTON □ GREENTACTILTOUCH □ GREENTACTILTO	CRIOBC	56-165
③ DURANIT-ONE 14-24-40-50-58-73-92-102-108-110-119-120-123-174 ⑤ DURANIT-PLUS 58-90-97-102-110-119-174 ⑥ DURANIT-ULTRA 58-72-85-90-97-108-119-174 EM25 61 ⑤ EM25A 12-175 ⑥ ENTRETIEN 152 EPS25A 54 EPS7BPA 117 EPSCPS25/12 88 ERGOMASTER 68-82-98 ERGOPRIMA 68-82-98 ⑥ EUGENE 127 EV013 10-23-57 EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 26-30-54-84-84-91-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 ⑥ FITXTRA 60-91-100-120-174 ⑥ FLOWER 136 ⑥ FOREST 88-175 ⑨ FRENCHIE 138 ⑥ FUSHIA 149 ⑥ GASPRO 25-50-57-174 ⑥ GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	B DENIM	141
108-110-119-120-123-174 10 DURANIT-ULTRA 58-90-97-102-110-119-174 10 DURANIT-ULTRA 58-72-85-90-97-108-119-174 1174 EM25 61 10 EM25A 12-175 10 ENTRETIEN 152 EPS25A 54 EPS7BPA 117 EPSCPS25/12 88 ERGOMASTER 68-82-98 ERGOPRIMA 68-82-98 ERGOPRIMA 68-82-98 ERGOPRIMA 10-23-57 EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 26-30-54-84-84-91-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 10 FITXTRA 60-91-100-120-174 10 FLOWER 136 10 FOREST 88-175 10 FRENCHIE 138 10 GASPRO 25-50-57-174 10 GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	B DRYFEEL	150
⑤ DURANIT-ULTRA 58-72-85-90-97-108-119-174 EM25 61 ⑥ EM25A 12-175 ⑥ ENTRETIEN 152 EPS25A 54 EPS7BPA 117 EPSCPS25/12 88 ERGOMASTER 68-82-98 ERGOPRIMA 68-82-98 ⑥ EUGENE 127 EV013 10-23-57 EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 26-30-54-84-84-91-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 ⑥ FITXTRA 60-91-100-120-174 ⑥ FLOWER 136 ⑥ FOREST 88-175 ⑥ FRENCHIE 138 ⑥ FUSHIA 149 ⑥ GASPRO 25-50-57-174 ⑥ GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	DURANIT-ONE	
DURANIT-ULIRA 174 EM25 61 © EM25A 12-175 © ENTRETIEN 152 EPS25A 54 EPS7BPA 117 EPSCPS25/12 88 ERGOMASTER 68-82-98 ERGOPRIMA 68-82-98 © EUGENE 127 EV013 10-23-57 EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 26-30-54-84-84-91-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 © FITXTRA 60-91-100-120-174 © FLOWER 136 © FOREST 88-175 © FRENCHIE 138 © FUSHIA 149 © GASPRO 25-50-57-174 © GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	B DURANIT-PLUS	58-90-97-102-110-119-174
③ EM25A 12-175 ⑤ ENTRETIEN 152 EPS25A 54 EPS7BPA 117 EPSCPS25/12 88 ERGOMASTER 68-82-98 ERGOPRIMA 68-82-98 ⑤ EUGENE 127 EV013 10-23-57 EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 26-30-54-84-84-91-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 ⑥ FITXTRA 60-91-100-120-174 ⑥ FLOWER 136 ⑥ FOREST 88-175 ⑥ FRENCHIE 138 ⑥ FUSHIA 149 ⑥ GASPRO 25-50-57-174 ⑥ GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	B DURANIT-ULTRA	
© ENTRETIEN 152 EPS25A 54 EPS7BPA 117 EPSCPS25/12 88 ERGOMASTER 68-82-98 ERGOPRIMA 68-82-98 © EUGENE 127 EV013 10-23-57 EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 26-30-54-84-84-91-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 © FITXTRA 60-91-100-120-174 © FLOWER 136 © FOREST 88-175 © FRENCHIE 138 © FUSHIA 149 © GASPRO 25-50-57-174 © GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	EM25	61
EPS25A 54 EPS7BPA 1117 EPSCPS25/12 88 ERGOMASTER 68-82-98 ERGOPRIMA 68-82-98 © EUGENE 127 EV013 10-23-57 EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 26-30-54-84-84-91-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 © FITXTRA 60-91-100-120-174 © FLOWER 136 © FOREST 88-175 © FRENCHIE 138 © FUSHIA 149 © GASPRO 25-50-57-174 © GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	B EM25A	12-175
EPS7BPA 1117 EPSCPS25/12 88 ERGOMASTER 68-82-98 ERGOPRIMA 68-82-98 ① EUGENE 127 EV013 10-23-57 EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 26-30-54-84-84-91-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 ① FITXTRA 60-91-100-120-174 ② FLOWER 136 ① FOREST 88-175 ① FRENCHIE 138 ① FUSHIA 149 ② GASPRO 25-50-57-174 ② GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	B ENTRETIEN	152
EPSCPS25/12 88 ERGOMASTER 68-82-98 ERGOPRIMA 68-82-98 ① EUGENE 127 EV013 10-23-57 EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 26-30-54-84-84-91-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 ① FITXTRA 60-91-100-120-174 ① FLOWER 136 ① FOREST 88-175 ① FRENCHIE 138 ① FUSHIA 149 ② GASPRO 25-50-57-174 ① GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	EPS25A	54
ERGOMASTER ERGOPRIMA 68-82-98 127 EV013 10-23-57 EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 26-30-54-84-84-91-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 3 FITXTRA 60-91-100-120-174 3 FOREST 88-175 3 FRENCHIE 138 3 FUSHIA 149 GASPRO 25-50-57-174 GREENTACTILTOUCH 34	EPS7BPA	117
ERGOPRIMA 68-82-98 127 EV013 10-23-57 EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 26-30-54-84-84-91-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 1 FITXTRA 60-91-100-120-174 1 FLOWER 1 36 1 FOREST 88-175 1 FRENCHIE 1 38 1 H9 1 GASPRO 25-50-57-174 1 GREENTACTILTOUCH 34	EPSCPS25/12	88
127 EV013 10-23-57 EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 26-30-54-84-84-91-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 13 FITXTRA 60-91-100-120-174 13 FLOWER 136 13 FOREST 88-175 13 FRENCHIE 138 13 FUSHIA 149 14 GASPRO 25-50-57-174 15 GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	ERGOMASTER	68-82-98
EV013 10-23-57 EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 26-30-54-84-84-91-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 ③ FITXTRA 60-91-100-120-174 ⑤ FLOWER 136 ⑤ FOREST 88-175 ⑥ FRENCHIE 138 ⑥ FUSHIA 149 ⑥ GASPRO 25-50-57-174 ⑥ GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	ERGOPRIMA	68-82-98
EXTRACOMPLET 29 FAUVE 41-122 FEELPRO 26-30-54-84-84-91-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 ① FITXTRA 60-91-100-120-174 ② FLOWER 136 ③ FOREST 88-175 ① FRENCHIE 138 ① FUSHIA 149 ② GASPRO 25-50-57-174 ② GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	B EUGENE	127
FAUVE 41-122 FEELPRO 26-30-54-84-84-91-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 ③ FITXTRA 60-91-100-120-174 ③ FLOWER 136 ⑤ FOREST 88-175 ⑤ FRENCHIE 138 ⑤ FUSHIA 149 ⑥ GASPRO 25-50-57-174 ⑥ GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	EV013	10-23-57
FEELPRO 26-30-54-84-84-91-102-106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 ③ FITXTRA 60-91-100-120-174 ⑤ FLOWER 136 ⑤ FOREST 88-175 ⑤ FRENCHIE 138 ⑥ FUSHIA 149 ⑥ GASPRO 25-50-57-174 ⑥ GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	EXTRACOMPLET	29
FEELPRO 106-118-120-158 FIT4PROTOUCH 60-71-101-118-123 ③ FITXTRA 60-91-100-120-174 ⑤ FLOWER 136 ⑤ FOREST 88-175 ⑥ FRENCHIE 138 ⑥ FUSHIA 149 ⑥ GASPRO 25-50-57-174 ⑥ GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	FAUVE	41-122
 FITXTRA 60-91-100-120-174 FLOWER 136 FOREST 88-175 FRENCHIE FUSHIA GASPRO GASPRO GASTON GREENTACTILTOUCH GREENTACTILTOUCH 	FEELPR0	
 B FLOWER B FOREST B 88-175 B FRENCHIE B FUSHIA GASPRO GASTON GPINTER GREENTACTILTOUCH Table 136 Table 149 Table 149<td>FIT4PROTOUCH</td><td>60-71-101-118-123</td>	FIT4PROTOUCH	60-71-101-118-123
 B FOREST B FRENCHIE FRENCHIE FUSHIA GASPRO GASPRO GASTON GPINTER GREENTACTILTOUCH TEST OF THE STATE OF THE ST	B FITXTRA	60-91-100-120-174
 B FRENCHIE B FUSHIA GASPRO GASTON GPINTER GREENTACTILTOUCH GREENTACTILTOUCH 	B FLOWER	136
 B FUSHIA GASPRO GASTON GPINTER GREENTACTILTOUCH TABLES 	B FOREST	88-175
 GASPRO GASTON GPINTER GREENTACTILTOUCH GREENTACTILTOUCH 	B FRENCHIE	138
GASTON 128 GPINTER 38-122 GREENTACTILTOUCH 34	B FUSHIA	149
GPINTER 38-122 GREENTACTILTOUCH 34	B GASPRO	25-50-57-174
GREENTACTILTOUCH 34	B GASTON	128
	GPINTER	38-122
3 GRIFSTOP 13-175	GREENTACTILTOUCH	34
	■ GRIFSTOP	13-175

	109-156-174	
GUETRECRYO	165	
HAT	169	
HEAD BAND	169	
HEATING SYSTEM	114-165	
HEATRESIST	80-96-166	
HEATRESIST+	167	
HEATRESIST-MITT	65-167	
HMPS7BP	88	
HYDROPRO	66-166	
ICOMBJET	168	
ICOMCS5022	168	
ICOMCS5023	168	
B IVERNO	157-165	
B JEAN	138	
LAMANICA	29	
LAPERLE	27	
LECOMPLET	28-159	
LELOYAL	28	
LEMANEG+	28	
LESAINTCARNE	28	
B LHUITRIER	160	
LIGHT-WELD	70-81-166	
B LIQUIDO	18-26-109-152	
B LISON	127	
LUNMAS	169	
B MACPRO	14-27-59-108-160-174	
B MARGOT	128	
B MASKCHIRN	168	
B MASKCHIRO	168	
B MASQUEFFP2	168	
B MASQUEFFP3	168	
MASTERTOP	16-67-89	
MASTERTSHIRT	69-83-99	
B MAXFEEL	144-156	


B MAXGRIP	116-147-161
B MAXIMA	26-137
B MAXIPRO	55-106-174
B MAXSTRONG.F	146
B MAXSTRONG.H	146
B MAXTEEN.F	143
B MAXTEEN.G	143
в махтор	144-156
MB30/750BC	80
B MECANO	77-152-159
METALSTRONG	67
METALSTRONG+	67
MIDSEASON	14-50 -109-158-175
B MISS	134
B MISTER	134
M0456	38
MONTAGNE	39-157-165
B NERINE	149
B NUDE	133
OILGRIP5	66-166
B ONE4ALL	134
OPSB	38
OPSB+	38-73
OPSK	38-158
OPSK+	38
OPTIPRO	13-174
PARA4HEAT	167
PARA4HEAT+	96-167
B PLANT	149
B PRIMACUFF	68-82-98
PROFUSION-1	64-80-167
PROSOUD/1	61-70-96-167
B PROSPER	127
B PROTECT	135
PROTECT4SHOCK	40-73-92-121

B PROTECTMAX	27-135
PROTRI-1	64-96-166
RESCUEFITFLUO	48
RESCUEFLUOBC-SC	48
RESCUEFLUO-SC	48
B RESCUEPRO	107-174
RIPDEXG	40
RIPEUR/CO	16-85
ROLLHEAT	66-166
B RONCIER	13-19-22-175
B ROOTS	133
B ROSERAIE	12-175
RUSHPPSF0	169
RUSHPPSIO	169
SAP	39-51
B SARMENT	12-24-164-175
SCANFORCE-BL	36
SCANFORCE-BR	36
SCANFORCE-EXE	36
SCANFORCE-GP	37
SCANFORCE-LG	36
SCANFORCE-SP	37
SCANFORCE-VE	37
B SEQUOIA	10-88-175
SILINOSTICK	101
B SKINPRO	60-77-174
SKINTOUCH	34-93-159
B SNITRILE	25-61-175
B SOLIDO	15-175
B SOULDIER.F	140-158-161
B SOULDIER.H	140-158-161
SPEEDER1KP	39-121-161
SPEEDNET	76-84-103-117-159
3 SPLITWELD	70-167-174
SPP2NIT05+	47
SPP2NITBKV+	47

STICKFLEX	72
STOP-OIL	50-57
STOP-OILCUT	18-55-71
B STRONGER	15-89-175
1.70X135	13-175
T.CRY0	29-165
1.DENIM	141
TABMASTER	69-83-99
TABMASTER+	69-83-99
TAKECARE	72-97-100-107
TFI27	84
TN22	31
TN27NS	76
B TRADITION	137
TREXSMSQUALE-BLSC	44
TREXSSQUALE-B	46
VIBRAPROTECT	54-107
B VISIBLE	26-136-160
WARM250/50D2	31-65-166
WETCUT01-EVOLUTION	75
WETCUT03-EVOLUTION	16-23-75
WETCUT03M-EV0	75
WETCUT05-EVOLUTION	75
B WETPRO	18-55-152
B WGB	151
B WHITEPRO	92-110-174
WHITETACTIL	31
WINTERPRO	14-30-89-106-116-165-174
B WORK	150
ZPP25	30-117-164

Other glove references are available. For more information, contact us: commercial@rostaing.fr

DO YOU NEED TO FIND OUT MORE ABOUT OUR PRODUCT LINES AND GLOVES?



Check out all our news at WWW.ROSTAING.COM



YOUR FUTURE IN HAND



ROSTAING

17, Avenue Charles de Gaulle 01800 - VILLIEU Phone: +33(0) 474 460 710

Fax: +33(0) 474 613 443

You want a sales contact? commercial@rostaing.fr

You want information about your order? order@rostaing.fr

You want to get in touch with our quality department? sav@rostaing.fr

> You need technical information about our products? product@rostaing.fr

> > For all other questions: contact@rostaing.fr

> > > Find us on social media









ROSTAING.COM