TECHNICAL SHEET MULTI-RISK

PRODUCT DESCRIPTION

ASO COVERALL

Material: 98% Cotton, 2% Antistatic





Date: 03/02/2015

coverguard






FIRE RETARDANT



SIZE	40 / 42 S	44 / 46 M	48 / 50 L	52 / 54 XL	56 / 58 XXL	60 / 62 XXXL
ASO COVERALL ORANGE	8MASCOS	8MASCOM	8MASCOL	8MASCOXL	8MASCOXXL	8MASCOXXXL
ASO COVERALL NAVY	8MASCNS	8MASCNM	8MASCNL	8MASCNXL	8MASCNXXL	8MASCNXXXL


PACKING




TECHNICAL SHEET MULTI-RISK




DESIGN & TECHNICITY





	1. Neck
	Mandarin collar fastened with press button
	2. Fasteners
	Zipper fasteners & flap fastened with press buttons
\square	3. Sleeves
	 Long sleeves with cuffs which can be adjusted with press buttons
and and a	4. Pockets
	• 2 breast pockets with flaps fastened with press buttons
	1 inner pocket
	 2 back pockets with flaps fastened with press buttons 2 Italian pockets
	 1 cargo pocket with flaps fastened with press buttons
	 1 tool pocket with an opening of 7 cm
	5. Knee pockets
	 2 knee pockets with adjustable height and bottom
	opening
\square	6. Tagging collar
	1 tagging collar at the neck
A B	7. Waist
	Elastic waist
	8. Chest loop
	2 chest loops above the breast pockets
	9. Retro-reflective bands
	Fire retardant retro-reflective bands
	10. Back
H H	Comfort gussets in the back
\square	11. Seams
TRIPLE SEAMS	Triple stitch seams with reinforcements points
\square	12. Leg length
	Removable 5 CM hem
	13. Icons
	Icons for the standards on the left sleeve
	14. Markable *
(many)	Markable on chest pocket or back
March Contraction of the State	



	500								- 29.			26	27	21	1.4		
	xs		s		1	м		L		ХL		XXL		XXXL		XXXXL	
	0) I		2		3		4		5		6		7		
	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66	
A	81	88	89	96	97	104	105	112	113	120	121	128	129	136	137	144	
в	69	76	77	84	85	92	93	100	101	108	109	116	117	124	125	132	
с	85	92	93	100	101	108	109	116	117	124	125	132	133	140	141	147	
D	78		8	0	80		82		82		84		84		86		
E	5		:	5		5	5		5		5		5		5		





The XComfort is a range based on flame retardant solution that gives the cotton fiber fabrics a durable flame retardant finish.

This flame retardant finish is not a coating, it is a chemical bonding with the molecular structure of natural cotton. In the event that the fabric is exposed to fire a carbon char is formed, this carbon char works as a heat shield and also controls the spread of the flame.

This fabrics offer its users a superior comfort Its inherent softness is enhanced by its ability to keep the wearer cool in hot climates, and warm in cold.

STANDARDS

This article is in conformity with the model of individual safety equipment which correspond to

The CE Type-examination certificate n° 0161/3733/14 Delivered by AITEX (notified body n° 0161)



EN ISO 11612 : 2008 A1, B1, C1

- Limited flame spread = A1
- Insulation against convective heat = B1

(F)

Insulation against radiant heat = C1

EN 1149-5: 2008



Against the risk of accumulation of electrostatic loads

This model is in conformity with the standard EN 13688 : 2013

Washing instructions *:



* Consult the manufacturer before any operation

www.coverguard-xpert.com