TECHNICAL SHEET MULTI-RISK



Date: 03/02/2015

PRODUCT DESCRIPTION







Material: 78% Cotton, 20% Polyester 2% Antistatic


















FLECTIVE BAND TAPE		J 📆				
SIZE	40 / 42 S	44 / 46 M	48 / 50 L	52 / 54 XL	56 / 58 XXL	60 / 62 XXXL
THOR COVERALL ORANGE	8MTHCOS	8MTHCOM	8MTHCNL	8MTHCOL	8MTHCOXL	8MTHCOXXXL
THOR COVERALL NAVY	8MTHCNS	8MTHCNM	8MTHCNL	8MTHCNXL	8MTHCNXXL	8MTHCNXXXL

PACKING



Individual Packing






10 Pieces In 1 Carton

TECHNICAL SHEET MULTI-RISK



DESIGN & TECHNICITY





1. Neck

Mandarin collar fastened with press button

2. Fasteners

Zipper fasteners & flap fastened with press buttons

3. Sleeves

 Long sleeves with cuffs which can be adjusted with press buttons



4. Pockets

- 2 breast pockets with flaps fastened with press buttons
- 1 inner pocket
- 2 back pockets with flaps fastened with press buttons
- 2 Italian pockets
- 1 cargo pocket with flaps fastened with press buttons
- 1 tool pocket with an opening of 7 cm



5. Knee pockets

· 2 knee pockets with adjustable height and bottom opening



6. Tagging collar

1 tagging collar at the neck



7. Waist



Elastic waist

8. Chest loop 2 chest loops above the breast pockets



9. Retro-reflective bands

Fire retardant retro-reflective bands





10. Back

Comfort gussets in the back



11. Seams

Triple stitch seams with reinforcements points



12. Leg length

· Removable 5 CM hem



13. Icons


· Icons for the standards on the left sleeve






14. Markable*

Markable on chest pocket or back*



36 38 40 42 44 46 48 50 52 54 56 58 60 62 64 66 A		xs		s		м		L		XL		XXL		XXXL		XXXXL	
36 38 40 42 44 46 48 50 52 54 56 58 60 62 64 66 A 81 88 89 69 77 104 105 112 113 120 121 128 129 136 137 144 B 69 76 77 84 85 92 93 100 101 108 109 116 117 124 125 132 133 140 141 147 D 78 80 80 82 82 84 84 86		^3		3		IVI				ΛL		AAL		*****		AAAAL	
A 81 88 89 96 97 104 105 112 113 120 121 128 129 136 137 144 B 69 76 77 84 85 92 93 100 101 108 109 116 117 124 125 132 133 140 141 147 C 85 92 93 100 101 108 109 116 117 124 125 132 133 140 141 147 D 78 80 80 82 82 82 84 84 86		0		1		2		3		4		5		6		7	
B 69 76 77 84 85 92 93 100 101 108 109 116 117 124 125 132 C 85 92 93 100 101 108 109 116 117 124 125 132 133 140 141 147 D 78 80 80 82 82 84 84 86		36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
C 85 92 93 100 101 108 109 116 117 124 125 132 133 140 141 147 D 78 80 80 82 82 84 84 86	A	81	88	89	96	97	104	105	112	113	120	121	128	129	136	137	144
D 78 80 80 82 82 84 84 86	В	69	76	77	84	85	92	93	100	101	108	109	116	117	124	125	132
	С	85	92	93	100	101	108	109	116	117	124	125	132	133	140	141	147
E 5 5 5 5 5 5 5 5	D	78 80		80 8		2 82		12	84		84		86				
	E	5			5	.,	5	5		5		5		5		5	



TECHNICAL SHEET MULTI-RISK





The XComfort is a range based on flame retardant solution that gives the cotton fiber fabrics a durable flame retardant finish.

This flame retardant finish is not a coating, it is a chemical bonding with the molecular structure of natural cotton. In the event that the fabric is exposed to fire a carbon char is formed, this carbon char works as a heat shield and also controls the spread of the flame.

This fabrics offer its users a superior comfort Its inherent softness is enhanced by its ability to keep the wearer cool in hot climates, and warm in cold.

STANDARDS

This article is in conformity with the model of individual safety equipment which correspond to

The CE Type-examination certificate n° 0161/3839/14 **Delivered by AITEX (notified body n° 0161)**

EN ISO 11612: 2008 A1, B1, C1, E3, F1

- Limited flame spread = A1
- Insulation against convective heat = B1
- Insulation against radiant heat = C1
- Insulation against the iron spatter = E3
- Insulation against contact heat = F1



(A1) against burns from welding and similar processes (Class 1) = Class 1 - A1

IEC 61482-2:2009 Class 1 - 4kA



Against the risk of burn provoked by an electrical arch = 4kA (Class 1)

EN 13034: 2005+A1:2009 Type 6

EN ISO 11611:2007

Class 1 - A1



Clothes standardized type 6 protect users at least cover torso and limbs = Type 6

EN 1149-5: 2008



Against the risk of accumulation of electrostatic loads

EN 14404: 2004+A1:2010 Type 2



Mechanical protection for users working in knees position = Type 2



This model is in conformity with the standard EN 13688: 2013

Washing instructions*:



* Consult the manufacturer before any operation